
BRANDON UNIVERSITY S. J. McKee Archives



Crepeele locale Radiocarbon Report IV

http://archives.brandonu.ca/en/permalink/descriptions11971

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.4
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	2 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History /	
Biographical:	

Crepeele locale Radiocarbon Dates. C14 report by lsoTrace Analytic Laboratory for Sarah site XU17.

From 2003 to 2008 field work took place at the Crepeele locale. The Crepeele, Graham and Sarah sites were excavated with 75 - 1m x1m units excavated

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report IV
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates

Documents

Sereh announce and the set		
10-fav 12		
W-IIHI W IV-II-I king - size		
Radioscanican data - 100 j 41 87		
(2) Indications, while a probability of 15% on generator for the antiheration appendix the sublicevent data. Here there exclusions if non-tension instantion indication indication in the state of the sublicevent data and the state of the sublicevent data and the sublicevent data and the sublicevent data and the design sublicevent and this appendix. All the sublicevent data intersects the design sublicevent and the set.		
No. Probability callage 00-3 8 c.1. 35.5 8 c.1.		
1 55 8 1335 ml A0 1320 A0 - 1354 A0 1504 A0 - 1365 A0 2 104 9 1432 5A1 A0 1346 A0 - 1438 A0 1346 A0 - 1440 A0		
Collimated with one standard data with terms of the collimation of th		
2 m m m m m m m m m m m m m m m m m m m		
1.5.4_Sarah07_RC14.p		
df		
Read PDF		
La Download PDF		
·		