BRANDON UNIVERSITY S. J. McKee Archives

IsoTruce Radiocarbon Laboratory	No the causes down Terrent One Causio 1600 117
Invaluates Mass Societosisting Facility al dia University of Theorem	Edulation 418-415-415 Fact 18, 418, 419 Junel well bedrev Poleration
Intertace between bi and environ of site or	is of sind dank
and instance of site or	capes Fran
Radious for Analysis I	laport.
Summer 10, 2011	
Industrie: B. A. Philadese, Phys. of Yorker Hudson, Balancer's	
This would in the second of 2 separate realizes increased parts on proops fluctuations, using the meansort "SUPE value it convertinged addressform that to prace form provide (SPE), to The class represent the PD F would prove fluct.	
	hoffmar App alconnelse (cons.107) (2-1142) 440 + 40
l'analitika tolinar para amanana cardon matt. Ir dis-result a d' pin-malit amiten compten	names a particular i scale agree ten
	n
	(M)

North Lauder locale Radiocarbon Report I

http://archives.brandonu.ca/en/permalink/descriptions12327

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.5.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	2 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History /	
Biographical:	

North Lauder Radiocarbon Date report by IsoTrace Laboratory for Atkinson II site #TO-11882.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access:	North Lauder locale Radiocarbon Report I
Subject Access:	Archaeology
	North Lauder locale
	North Lauder locale Radiocarbon Report I





North Lauder locale Radiocarbon Report 2

http://archives.brandonu.ca/en/permalink/descriptions12328

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.5.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	2 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History / Biographical:	
Diographical.	

North Lauder Radiocarbon Date report by IsoTrace Laboratory for Atkinson site #TO-10640.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:


Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access: Subject Access:

North Lauder locale Radiocarbon Report 2 Archaeology North Lauder locale North Lauder locale Radiocarbon Report 2

Documents

		00 St. Gonza Street
Acofera	ce Radiocarbon Laboratory or Nas Spectorety Facility	Terrate (Del) Canada MAN 110
and of the	nurshy of Towards	Para 49, 497, 411) Tanal no Floring Providence
	Radiocarbos Analysis B May 27, 303	laport
This must instage for	B Nabativas, Espiral Native Statises, Romaine Unit, is the average of 2 separate analysis in terms lympician channels to a how of $E^{1}C_{1} \approx -25\%$, using the resum filtered conversioned ratio and the inter at room before area. The error represents the HL3 % analyticate limit.	O and is connected for second and quotesting and "C/"Contro. The sample agest quoted present (RPL using the Lifety "Convention
1 reality	Tariph Walds <u>Mentication Description</u> used in <u>TS-1 Chloroson Hearth</u> : channed (sage Mit in to hear your continuent on this much 2 few much 2	g) Laborandez (pean 165) TO 30648 1220 ± 68
	ulif und ne s nyrin.	<i>a</i> -
		Olbe
		Di K.P.Solizn
251	2 Atkinso	p DC14
2.0.2		II_I\0.14_
	TO 4004	0 10
	TO-1064	0.pdf
	Read	PDF
1	Downloa	ad PDF



North Lauder locale Radiocarbon Report 3

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.5.3
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	1 page
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.

History /

Biographical:

North Lauder Radiocarbon Date report by IsoTrace Laboratory for Atkinson site #TO-13365.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.


Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access:	North Lauder locale Radiocarbon Report 3
Subject Access:	Archaeology
	North Lauder locale
	North Lauder locale Radiocarbon Report 3

Documents



North Lauder locale Radiocarbon Report 4

http://archives.brandonu.ca/en/permalink/descriptions12330

Part Of:

RG 7 Beverley Nicholson fonds

	Bolly Annual Soc. Str. 1971 181		
	And the statement of the set		
	protected protect respectively.		
	includences and the descent.		
	star in. Williams		
	these fiel endeed the other	when white parties by see .	
	sugar is building to the owners of		
	manufact, 14 is long to could be	the station press.	
	I will be the automaticate in a	and incluse they expected.	
		and of the particular time	
	plotter is on technic to contain to		
Mark A. 200	the bitches and here and many	senior, h east is air loss.	
Statute Statute <t< td=""><td></td><td>terrendrice anderer -</td><td></td></t<>		terrendrice anderer -	
Пар. С. А. Баланана (различна) Закана (р.) Закана (р.) Закана (р.)			
Пар. С. А. Баланана (различна) Закана (р.) Закана (р.) Закана (р.)	and the second		
Name Name Name Statistical Statistics Statistical Statistics Statistical Statistics Statistical Statistics Statistical Statistics Statistics Statistical Statistics Statistical Statistics Statistics	Sectors 13, 197		
187 188 188 189 199 199 199 199 199			
Cold Cold Marcinet Cold Cold Cite Apple Marcinet Cold Cold Cite Apple Marcinet Marcinet Cite Apple Marcinet			
Cold Cold Marcinet Cold Cold Cite Apple Marcinet Cold Cold Cite Apple Marcinet Marcinet Cite Apple Marcinet			
Bagdin Nac Bearing (2.503) Print Statu Trick Spin Belleric Status Print Belleric Belleric Status Print Belleric Belleric Status Print Belleric Belleric Status Print Belleric Belleric			
	lowers local		
NAMES AND ADDRESS OF ADDRESS OF		the last the	
ANNON MARKED AND AND AND AND AND	108 Aut (15		
hand hand a set of the	(a.a.a.))		
to a m	(3 Apr (1)	*************	
	18 88 17 2002000000000000000000000000000000000		
Matel for the Metabase (Schelmert Brandwal) (23)	ria ka Pi Pirutente trene a secon Antone Manadalia dalare		

Description Level:	Sub sub series
Series Number:	2.5.4
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	pages 5-7
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History /	

Biographical:

North Lauder Radiocarbon Date report by Beta Analytic Inc. for Flintstone Hill #109529 and #109530.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

 Name Access:
 North Lauder locale Radiocarbon Report 4

 Subject Access:
 Archaeology

Archaeology North Lauder locale North Lauder locale Radiocarbon Report 4

Bets Analytic Inc.10/21/97 10:05 AM +0000. 1
Resear France, 23, 2021, 23/07, 2022/2021 (2020) Presear International Cycline, and Academic Strategy (2021) Presear International Conference on Conference
malle-tri hetalund pljridjrige (heta Analptin Enri) Komo-manistr 1.5
Dending D-mill belahunigelo.edi.out Benerotay D-mill ministranderuniker.un
THEN IN A HIPE OF THE ANDRET MALINE TO YOU TELAT. CALIBRA. OLIMATIONS AND NOT CALIBRA.
Sciencisto all Re (Aconto-
Here to its methods the estimated particle particle are the form of the sector function of the sector particle are an estimated particle particle are setted particle and its sector particle and particle particle are an estimated particle and particle are estimated and particle are an estimated particle and particle are and particle particle and particle are an estimated particle and particle is functioned with the sector particle and particle are and particle particle and particle are an estimated and particle are an estimated with the sector particle and particle are and and particle particle are an estimated and particle are an an estimated and particle are an estimated and particle are an estimated and particle are an estimated and particle are an estimated and particle are an estimated and particle are an estimated and particle are an estimated and particle are an estimated and particle are an estimated and particle are an an estimated and particle are an estimated and particle are an estimated and particle and particle are an estimated and particle and particle are an estimated and particle are an estimated and particle are an estimated and particle are an estimated and particle are an estimated and particle are an estimated and particle are an estimated and are an estimated and are an estimated and particle are an estimated and are an estimated and are an estimated and an estimated and are an estimated and a
I writer the antimers have in an only proper time sequence. As in the antimers of the second
Literature discussion who personal/login of exclusion and maintee and additional time in the discussional density of the exclusion of the discussion of the discussion of the exclusion of the other neutrino discussion. It is the lower and again addition, planes of the functions to inclusion is not
The invalue has been such sequentity. A copy is exclosed. Touch you has your polor willouts to exceeping paperet.
Danders Housi for discontant
DOTHE MILLION
Nr. R. R. Hidelan. Instance 21, 1977
Brander Independing Strainer 21, 1987
INTERNET DESCRIPTION DESCRIPTO
CS4 Apr (*) CS4 Apr
DALAM AN
Anna (1993) 3210 et- 10 80 -23.8 also 200
2.5.4_FSH_RC14_Beta -109529_109530.pdf
Read PDF
L Download PDF



North Lauder locale Radiocarbon Report 5

http://archives.brandonu.ca/en/permalink/descriptions12331

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.5.5
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	pages 3-5
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History / Biographical:	

North Lauder Radiocarbon Date report by Beta Analytic Inc. for Flintstone Hill #111142 and #111143.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access:	North Lauder locale Radiocarbon Report 5
Subject Access:	Archaeology
	North Lauder locale
	North Lauder locale Radiocarbon Report 5





Crepeele locale Radiocarbon Report I

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	3 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.

Crepeele locale Radiocarbon Dates. C14 report by IsoTrace Laboratory for Crepeele site 2005 XU 8.

From 2003 to 2008 field work took place at the Crepeele locale with 75 - 1m x1m units excavated.

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report I
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates

IsoTrace Radiocarbon Laboratory Trans. Conf. and 10.10
LIGE LEASE REALISED LADOPENTY Trans. Conf. Cond. 401 (17) Accelerate Machine Directory (Failing acide University of Transis Based Conf. 2014) 100 (17) 100 (17) (17) (17) (17) (17) (17) (17) (17)
Creparle Black D suspersion serrounding
intrasive bison she lifesture
Radiourbon.tani/tak.Report
Releasey 24, 2009
Solvaine: R.A.Nicholan, Dapr of Native Radin, Straden Yulo, Runadin Mill. This must in the offspin Factoria belt warrage of 2 sponta angly in formal problem and a summand for small and quentify spin behaviouris, spin processed VOCP warrage to prove as assumptions of constrained relationship data provide the same (OC) assign the Likey VC manifold of the same of the same of the same of the same of of the same of the same of of the same of the same of the same of the same of the same of the same of the same of
Sum-graphical collapse has been seen and a 6.9°C measurement and the trends will be reported as seen as it becomes unabled: (2016-2°C should not be trends threadd/instand treatments conservings on this Euclocyclesy data has always been didy concerned for all insteple functionations.
Semple Vergle LoTner Age Montification Description weekings Lab results (2010) CR-ROM-5 Nation - Issuerum ellult 1940 TOT-11110 1030 a 120
The particle ordingen content of fish sample was only 0.4%. As a result, fits date may not be militale of contamination true present.
Be
Dr. R. P. Bostern
1.5.1 Crepeele05 RC1
_ ' _
4.pdf
Read PDF
📥 Download PDF



Crepeele locale Radiocarbon Report II

http://archives.brandonu.ca/en/permalink/descriptions11969

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	8 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History /	

Biographical:

Crepeele locale Radiocarbon Dates. C14 report by Beta Analytic Inc. for Crepeele site XU 48 and Graham site XU 54.

From 2003 to 2008 field work took place at the Crepeele locale with 75 - 1m x1m units excavated.

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.


Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report II
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates



<text><text><text><text><text>

Crepeele locale Radiocarbon Report III

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.3
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	9 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.

Crepeele locale Radiocarbon Dates. C14 report by Beta Analytic Inc. for Crepeele site XUs 8, 30, 50.

From 2003 to 2008 field work took place at the Crepeele locale with 75 - 1m x1m units excavated.

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.


Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report III
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates

REPORT	OF RADIOCARE	ON DATING	ANALYSES
Dr. B. A. Nidelice			Report Data: 18/7/2008
Bauden University			datarial Rescived. 913(2008
Sample Data	Masured Ruliccobin Apr	15C/12C Easter	Convertional Rollocation Apr(1)
Rep 20083 5.009101 - CopielaRIO ANULTURE - 2007 Standard 4001 MATCHAR, WEITHARDEN 1.2007 ACLEDIATION -	SIL400P	-18.7 s/se (with shall (140)	410-1-10.00
0em - 30954 RANPUL: Copolic/H555 ANALYTE: AMESTANDARI INF	40 <- 400P	-95alar	38 << 0.12
Ben - 2000 SAMESE - Copedia/ENIS ANALISE - AMERICAN AND ANALISE - PREPARATION 2 SEAN CELEBRATION -	331 4630 None cologorii collapor comotio Carlos Cologorii collapor comotio	-02.sim with shall with shall	98180-59
Date - Tableton	on concer Zon concern concorr	28.3 also	80~0.037
man? - All 1985, the observation revenue attractive way 60% fee way increases and technology (9877) increases and technology (cellon years before proset. To and universities the median doty of the National Institute and Mark (Mark Mark) and the Analysis of Mark (Mark) in statebore (Mith protecting). To in statebore (Mith protecting).	effective Apr you obtain rate and the Conversional or Convenienal Redeem's	on Age represents for these to achieve functionation, such are consistent where the constant of activity to an Age is well calender such an Age is well calender such for functional activity of collected sectors and ac-
neutri - A.D. 1905; Sp. online/off memory antihetim war (55 No. 40) faculation and the backwargs printing influences and the backwargs printing memory in caliboo standard channel memory in caliboo standard channel memory and the backwargs of the memory and the backwargs of the second standards and the second standard	ing university. The basis of the basis of the basis basis basis of the	ele08	mind uning an answere debe Bederstehn kegen debe bedere aufer en Age in ver understehn aufer der Calification frauch in under anderen Age wird is letter au for esab sample
.5.3.3_(Crepe	ele08 df	B_RC



Crepeele locale Radiocarbon Report IV

http://archives.brandonu.ca/en/permalink/descriptions11971

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.4
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	2 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History /	
Biographical:	

Crepeele locale Radiocarbon Dates. C14 report by IsoTrace Analytic Laboratory for Sarah site XU17.

From 2003 to 2008 field work took place at the Crepeele locale. The Crepeele, Graham and Sarah sites were excavated with 75 - 1m x1m units excavated

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

> The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

> Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.


> Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

> Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report IV
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates





Crepeele locale Radiocarbon Report V

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.5
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	2 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.

History /

Biographical:

Crepeele locale Radiocarbon Dates. C14 report by IsoTrace Analytic Laboratory for Graham site XUs 5 and 8.

From 2003 to 2008 field work took place at the Crepeele locale. The Crepeele, Graham and Sarah sites were excavated with 75 - 1m x1m units excavated

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report V
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates

<section-header><section-header><section-header><section-header><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></section-header></section-header></section-header></section-header>		
<text><text><text><text><text><text><figure><text></text></figure></text></text></text></text></text></text>	6.	Output by calibration program (DANA)4 Deputiple (D) N.P. Beckers
<text><text><text><text><text><text><figure><text></text></figure></text></text></text></text></text></text>		
<text><text><text><text><text><figure><text></text></figure></text></text></text></text></text>		
 1 If it is not a like it is not it is it is not it. 1 If is not a like it is not it. 1 If is not a like it is not it. 1 If is not a like it is not a like it. 1 If is not a like it.<		of this indication data, have been calculated from the deader calculation data. The EDS and DIS verificative intervals, which are the 1s and 2s likes for a second distribution, and also along a synchronized for the many the
<pre>Mathematical and an approximation of a second second</pre>		NO. PERSONALIZZY and Age 00.3 % 0.1. 10.3 % 0.1.
1.5.5_Graham07_RC14 Performance		1 195 8 1942 981 80 1942 90 - 1953 80 1946 80 - 1953 80 2 185 8 1987 681 80 1988 82 - 1989 80 1988 82 - 1980 80
pdf		
	1.5.	
Lownload PDF		Read PDF
		Lownload PDF



Atkinson site DiMe-27 2003

http://archives.brandonu.ca/en/permalink/descriptions12081

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.1.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg
	format.

History /

Biographical:

Based on the results of the testing in 2002 and the radiocarbon date of 6,500 years before present, further excavation was warranted at the Atkinson site. In 2003 Field Chief Holly Alston and crew Shayne Kolesar and Andrea Richards opened a 42m test excavation (units 1 - 4) that included the hearth area.

The site area was covered with a huge sand dune that was slowly sliding into the river as the supporting bank eroded away. As the dune was removed a late woodland camp was found at the dune interface and a large chunk of charcoal dated this occupation to 440+/-60 B.P. cal.1440A.D. This indicated that the dune was a relatively late incursion over the site. This occupation is likely connected to subsequent testing to the east in 2005 that came to be known as Atkinson II.

Methodology:

The crew began shovel shaving the upper strata with the intention of establishing an arbitrary datum when artifacts were encountered or when a level 25cm above the hearth was reached. At 25cm above the hearth an arbitrary surface datum was established and excavation in 5cm levels began. The overbank deposited matrix was a dense, compacted silt clay and it was necessary to soak the excavated materials in buckets and then water screen the material with a high pressure pump over 1/4 inch hardware cloth.

Lithic flakes were found at 10cm below datum, above the hearth level. In the next level, large bone, a broken projectile point and additional flakes were found. Increasing amounts of bone and lithic flakes were found as the excavation continued through levels 3 to 5. The top of the hearth was identified at 28cm below datum, below a 2cm layer of well-sorted sand. This sand layer was confined to a small area directly overlying the hearth. It was considered to be a deliberate quenching of the hearth.

After the conclusion of excavating level 6 the hearth was profiled and photographed. The charcoal and ash layer of the hearth was shown to be directly below the sand layer. Levels 6 and 7 revealed a bison bone bed that was consistent with primary and secondary butchering including elements from the vertebral column and appendicular skeleton. Two additional Gowen (Mummy Cave Series) projectile points were also recovered adjacent to the hearth. Level 8 continued to produce larger amounts of bone and many lithic flakes. Level 9 produced a few bone fragments and a small number of lithic flakes. At the conclusion of the excavations, the crew shoveled sand down from the dune to protect the site over winter and through any subsequent spring flooding.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Subject Access: Atkinson site 2003 Archaeology North Lauder locale Atkinson site DiMe-27 Atkinson site 2003



Atkinson site DiMe-27 2004

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.1.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2004
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

In 2004 Tomasin Playford and her crew of Andrea Richards, Sarah Graham and Shane Kolesar cleared sand cover from over the 2003 excavations and extended sand clearing back from the north edge of the 2003 units to permit implementation of four additional units. During this sand clearing a hearth was identified together with small numbers of lithics and pottery body sherds. This occupation had been noted during sand clearing in 2003 and a charcoal sample was collected and radiocarbon dated to 1440 A.D. This hearth was assigned to Atkinson II, a later occupation.

Four units (5, 6, 7, & 8) were surveyed in adjacent to the 2003 units. Excavation proceeded by means of shovel shaving until the datum pegs from the previous year were located. The new units were then given datum pegs and string boundaries and the high pressure pump was set up for water screening of silt/clay matrix.

Continued to shovel shave levels 1 - 4 and recovered small burned and unburned bone fragments. Level 5 produced a projectile point, an end scraper and a large heat-treated Swan River Chert (SRC) flake. Other SRC flakes were also recovered. Levels 6 and 7 yielded large numbers of flake debitage. The matrix in levels 5-7 contained a scatter of small, bright red ochre particles. The river began to rise on the ninth of June and the site was sandbagged on June 11th, temporarily bringing an end to excavation for Atkinson 1. Tomasin and her crew were relocated to the Crepeele site, west of Lauder.

On July 20th, Tomasin and her crew returned to the Atkinson site and commenced cleaning up the earlier excavation following the flooding. Following the clean up, excavations were resumed on the units that had been opened. An additional Gowen point was recovered from level 8 as well as some poorly preserved bison bone. A lot flakes and small amounts of bone were recovered on west side of block and larger bone and flakes in bone bed along the east side in levels 8 - 10. Two bifaces were recovered in level 11 and a third in level 13. The excavations were terminated at level 18 when water started coming up through the unit floors.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access:

Subject Access:

Atkinson site 2004 Archaeology North Lauder locale Atkinson site DiMe-27 Atkinson site 2004



Atkinson site DiMe-27 2006

http://archives.brandonu.ca/en/permalink/descriptions12258

Part Of:RG 7 Beverley Nicholson fondsDescription Level:Sub sub seriesSeries Number:2.1.4

Accession Number:	1-2010
GMD:	multiple media
Date Range:	2006
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

The Atkinson site had been flooded in 2005 and there was concern about the amount of damage that might have occurred. A small crew of Tomasin Playford, Michelle Drysdale and Jessica McKenzie returned to the Atkinson site with the goals of obtaining a detailed profile of the stratigraphy at the north end of the occupation and to determine if the site extended contiguously towards the east. Two test pits were planned as well as the investigation of a couple of hearths found eroding from the riverbank Work commenced July 4th and finished July 21st.

To the north of XU 8 (Gowen occupation) an excavation unit 18 was opened and shovel shaved to a depth of 200cm. At 195cm below surface a point bar deposit was identified indicating that any lower occupations would likely have been eroded by an earlier channel cutting event prior to formation of this point bar depositional event. Golf tees were inserted into the edge of the profile to indicate the 5cm levels superimposed on a digital photo of the section. Lithic flakes and bone fragments were scattered thoughout the stratigraphic column. A radiocarbon date of 440 B.P. was obtained from the unit, indicating a much later occupation than Gowen.

Unit 19 was excavated but only yielded a small Besant component containing a small hearth (H#3) In level 9, a point tip and a small biface as well as a few undecorated pot sherds were recovered. These two units defined the extent of the Atkinson I site. An unknowable area of the site has been eroded away by the encroaching Souris River.

The two small exposed hearths were excavated but only yielded a small amount of material. Hearth 4, at the western edge of the Atkinson block yielded only a small amount of charcoal, mixed with burnt bone and a few small lithic flakes. Hearth 5, located in the high cut bank west of the main site yielded a small amount of bone from a small ungulate, a muskrat and a bird as well as a percussion cap. This latter recovery indicated that this was an early historic period site.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Atkinson site 2006

Subject Access:

Archaeology North Lauder locale Atkinson site DiMe-27

Atkinson site 2006



Flintstone Hill 1997

http://archives.brandonu.ca/en/permalink/descriptions12284

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.2.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.
History /	

Biographical:

During the mid 1990's to the early 2000's archaeological surveying and testing took place on Flintstone Hill. In 1997 testing at the site revealed a bison skull eroding from the cutbank. A field crew dug a series of overlapping trenches down the slope of the profile and produced a schematic drawing. A radiocarbon date from the lower edge of the profile gave a date of 10,400 RCY.

Test units along the cutbank recovered lithics, soil samples, fire-cracked rock, charcoal, bison remains including a very large bison skull measuring 430-440 cm and thought to be an ancient species.

Radiocarbon dates at Flintstone hill gave dates of: a hearth dating to 3250+/-70 R.C.Y. (BETA 109529); a butchered atlas bone 4090+/-70 R.C.Y. (BETA 109990); and bone fragments accompanied by Swan River Chert and Knife River Flint lithic flakes 5350+/-50 (BETA 109530). While no diagnostic tools were recovered, these dates suggest that this occupation, which is contemporary with the Atkinson site, may be a Gowen occupation.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access:

Subject Access:

Archaeology North Lauder locale Flintstone Hill - DiMe-26 Flintstone Hill 1997

Flintstone Hill 1997



Atkinson II site DiMe-27 2004

http://archives.brandonu.ca/en/permalink/descriptions12223

Part Of: Description Level: RG 7 Beverley Nicholson fonds Sub sub series

Series Number:	2.1.3
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2004
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

After the flooding of the Souris River in 2004 receded, Tomasin Playford and her crew of Andrea Richards, Sarah Graham and Shane Kolesar returned to the Atkinson site and commenced cleaning up the earlier excavation of Atkinson.

An area east of the Atkinson excavations was also opened for testing in 2004. This area was designated as Atkinson II. In some of the field notes it is referred to as Atkinson East. A test block was opened and fenced off from the cattle with snow fence. A 4m2 block was surveyed in (units 13 - 16) and two partial units that were truncated by the riverbank (units 11 & 12) were also placed to the south of the 4m2 block.

Three of the students who had completed the recent field school were hired as crew. Jessica McKenzie, Evie Fevez and Emily Ansell joined the crew at the Atkinson II site.

Recoveries from XU 13 - 16:

Large bison bone was recovered from units 11 and 12 and a metal tobacco box seal was recovered from unit 12. More small pieces of metal found in levels 2 and three together with small bone fragments. A bone fragment with butchering marks from a metal tool was recovered from level 6 and pottery was found in level 9. A few lithic flakes were found in level 13 and in a trench at the bottom of unit 13 above a calcite cemented layer. Recoveries from these tests were sparse and diminished as the excavation series became more distant from the river. It is likely that the remains that were recovered represent the northern edge of these occupations.

The upper occupation at Atkinson II appears to be an early historic occupation with a sparse scatter of bone and a few pieces of metal. The lower layers, below level 7 are likely precontact. Units 9 and 10 were dug as test pits and produced very little in the way of cultural materials.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access:

Atkinson II site DiMe-27 2004

Subject Access:

Archaeology North Lauder locale Atkinson site DiMe-27 Atkinson II site 2004



Flintstone Hill 1998-2000

http://archives.brandonu.ca/en/permalink/descriptions12290

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.2.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1998-2000
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

```
History /
```

Biographical:

In 1998, 1999 and 2000 further testing took place on Flintstone Hill. Five test units were excavated and a series of small exploratory tests took place. Recoveries included: lithics, soil samples, fire-cracked rock, charcoal, and bison bones.

Unfortunately, despite the encouraging radiocarbon dates and scattered recoveries there was no area where extensive excavations were feasible. The unstable nature of the river bank with frequent spring flooding and erosion of the dunes has impacted potential sites.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access:	Flintstone Hill 1998-2000
Subject Access:	Archaeology
	North Lauder locale
	Flintstone Hill - DiMe-26
	Flintstone Hill 1998-2000



Flintstone Hill - summary information

http://archives.brandonu.ca/en/permalink/descriptions12299

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.2.2.1
Date Range:	1998-2000
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format

History / Biographical:

> Over a period from 1997 to 2000 over 40 test pits were surveyed and five test units put in. Crew members included: Bev Nicholson, Scott Hamilton, Matt Boyd, Tomasin Playford, Lori Mokelki, T.J Hall, Rea Postoloski, Andy Belcourt, Jace Moon, Michelle Drysdale as well as others.

Name Access:

Subject Access:

Flintstone Hill - summary information Archaeology North Lauder locale Flintstone Hill DiMe-26 Flintstone Hill - summary information

Atkinson site 2003 - summary information

Document Not Available

(Copyright Restrictions)

http://archives.brandonu.ca/en/permalink/descriptions12159	
Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.1.1.1
Date Range:	2003
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format

History /

Biographical:

Based on the results of the testing in 2002 and the radiocarbon date of 6,400 years before present, further excavation was warranted at the Atkinson I site. In 2003 Field Chief Holly Alston and crew Shayne Kolesar and Andrea Richards opened a 42m test excavation (units 1 - 4) that included the hearth area.

The unit co-ordinates and excavator are listed on the attached pdf file.

Name Access:	Atkinson site 2003 - summary information
Subject Access:	Archaeology
	North Lauder locale
	Atkinson site DiMe-27
	Atkinson site 2003 - summary information



Atkinson site 2004 - summary information

Document Not Available

(Copyright Restrictions)

http://archives.brandonu.ca/en/permalink/descriptions12191	
Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.1.2.1
Date Range:	2004
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format

```
History /
```


Biographical:

Based on the results of the 2003 excavation, and the radiocarbon date of 6,200 years before present, further excavation was warranted at the Atkinson I site.

In 2004 four units (5, 6, 7, & 8) were surveyed in adjacent to the 2003 units. The unit coordinates and excavator are listed on the attached pdf file.

Name Access:	Atkinson site 2004 - summary information
Subject Access:	Archaeology
	North Lauder locale
	Atkinson site DiMe-27
	Atkinson site 2004 - summary information







http://archives.brandonu.ca/en/permalink/descriptions12224

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.1.3.1
Date Range:	2004
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format

History /

Biographical:

An area east of the Atkinson excavations was also opened for testing in 2004. This area was designated as Atkinson II and a test block was opened and fenced off from the cattle with snow fence. A 4m2 block was surveyed in (units 13 - 16) and two partial units that were truncated by the riverbank (units 11 & 12) were also placed to the south of the 4m2 block. Test units 9 and 10 were also excavated.

Name Access: Subject Access: Atkinson II site 2004 - summary information Archaeology North Lauder locale Atkinson site DiMe-27

Atkinson II site 2004 - summary information

