

S. J. McKee Archives



Lovstrom Block D 1987

<http://archives.brandonu.ca/en/permalink/descriptions12541>

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.5.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1987
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History /

Biographical:

Block D is a wooded with oak and an understory of saskatoon and hazelnut with a thick ground cover of poison ivy and sarsaparilla. Root and rodent disturbance was extensive.

Directed by Dr. Nicholson and with Jane Gibson as crew chief, two units were opened in Block D in 1987. A hearth was identified with a ring of stones containing charcoal and burnt bone. Recoveries included two rim sherds with tool-impressed decorations along the outer edge and two prairie side-notched points. Associated bone was primarily appendicular, indicating secondary butchering.

A radiocarbon date of 230+/-90 B.P. recovered in 1987 from 17 cm below surface is consistent with a Protohistoric occupation.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methodology, number and co-ordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access:	Lovstrom Block D 1987
Subject Access:	Archaeology Lovstrom locale Lovstrom Block D



Lovstrom Block H 1988

<http://archives.brandonu.ca/en/permalink/descriptions12639>

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series

Series Number: 3.9.1
Accession Number: 1-2010
GMD: multiple media
Date Range: 1988
Material Details: Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History /
Biographical:

Directed by Dr. Nicholson and with Ian Kuijt as crew chief, eight units were excavated in Block H in 1988. The vegetation is similar to other areas in the locale with an open oak forest with a light understory of saskatoon, hazelnut, poison ivy and sarsaparilla.

Radiocarbon dates from this block indicate two occupations separated in time by some 300 years. The excavation of the eight 1m² units resulted in the recovery of over 650 ceramic fragments including 20 rim sherds from at least four vessels, a grooved maul, fire-cracked rock, lithic debitage and a reworked Avonlea projectile point. A large amount of bison bone, including a number of axial elements and a fragmented skull were also recovered.

The 650 ceramics recovered are of two kinds, representing at least four vessels. Stylistically, two of these vessels appear to be from the Vickers Focus and the third vessel may be Mortlach ware. The fourth vessel appears to be Blackduck and probably comes from the lower occupation. Also encountered were what is possibly a thin ash deposit in unit 180. The presence of a large number of bison axial elements is suggestive of primary butchering activities. Several canid bones were recovered scattered among the bison bone. Although there is no visible stratigraphic evidence, the 14C dates and the different ceramic types indicate more than one occupation in this area and it is likely that several types of behavior and use of space are represented.

High numbers of ceramic fragments are often assumed to be associated with activities characteristic of habitation areas, rather than hunting or butchering behavior. The lithic material assemblage is intermediate between Blocks G and E with KRF being the most frequent material category followed by local cherts.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methodology, number and co-ordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Lovstrom Block H 1988
Subject Access: Archaeology
Lovstrom locale
Lovstrom Block H



Lovstrom Block E 1988

<http://archives.brandonu.ca/en/permalink/descriptions12590>

Part Of: RG 7 Beverley Nicholson fonds
Description Level: Sub sub series
Series Number: 3.6.2
Accession Number: 1-2010
GMD: multiple media
Date Range: 1988
Material Details: Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History /
Biographical:

Directed by Dr. Nicholson and with Ian Kuijt as crew chief, fourteen additional units were excavated in Block E in 1988. Stratigraphic evidence of distinct activity areas at successive depths and radiocarbon dates indicate at least three occupations (380 BP, 700 BP and 860 B P).

Three identified activity clusters occur stratigraphically, supporting these dated occupations. A clear distinction between Blackduck and Vickers Focus ceramics is evident in this Block. Sixteen small side-notched and un-notched points were recovered in this excavation series as well as numerous unifacial scrapers. Fragments from a grey soapstone tube were also recovered.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methodology, number and co-ordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Lovstrom Block E 1988
Subject Access: Archaeology
Lovstrom locale
Lovstrom Block E



Lovstrom Block E 1991

<http://archives.brandonu.ca/en/permalink/descriptions12655>

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.6.3
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1991
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History /

Biographical:

Excavations took place in block E in 1987 and 1988 with 21 units opened. Ten further units were excavated in 1991 as part of the Brandon University Archaeological Field School, directed by Dr. Nicholson with Brett Waddell as crew chief and Theresa Hill as field assistant.

In 1991 a hearth was identified in Block E as well as a cluster of spoil dirt piles believed to represent material from a pit feature identified in the 1988 excavations. The pit feature is believed to be related to the recovery of clay that may have been used to build ceramic vessels.

Stratigraphic evidence of distinct activity areas at successive depths and radiocarbon dates indicate at least three occupations (380 BP, 700 BP and 860 B P). Three identified activity clusters occur stratigraphically, supporting these dated occupations.

Large numbers of lithics were recovered, forming an assemblage dominated by SRC and KRF with lesser amounts of porcellanite and quartzite. The upper occupation contained some Tongue River Silicified Sediment (TRSS). Eight Prairie Side-Notched points were recovered as well as a lunate biface and an end scraper. Fragments from a grey soapstone tube were also recovered.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methodology, number and co-ordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access:	Lovstrom Block E 1991
Subject Access:	Archaeology Lovstrom locale Lovstrom Block E



Lovstrom Block H 1991

<http://archives.brandonu.ca/en/permalink/descriptions12671>

Part Of: RG 7 Beverley Nicholson fonds
Description Level: Sub sub series
Series Number: 3.9.2
Accession Number: 1-2010
GMD: multiple media
Date Range: 1991
Material Details: Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History /

Biographical:

Based on the recoveries at the Block H in 1988, further excavations took place in 1991. Nine excavation units were opened next to the previous excavations. Another 250 ceramic sherds were recovered in 1991. Nine vessels have been identified based on rim sherds. Vickers Focus and Woodland vessels have been identified and two vessels similar to Scattered Village Complex were recovered.

The lithic material assemblage is intermediate primarily KRF followed by local cherts. Two features, a hearth and a curvilinear arrangement of rock were recovered during the 1991 excavations.

The high numbers of ceramic fragments suggests a habitation area, rather than hunting or butchering behavior. However, the separation of occupations at the site is difficult to establish and there may be different uses of the site by successive occupations.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methodology, number and co-ordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Lovstrom Block H 1991
Subject Access: Archaeology
Lovstrom locale
Lovstrom Block H



Lovstrom Block E 1987

<http://archives.brandonu.ca/en/permalink/descriptions12568>

Part Of: RG 7 Beverley Nicholson fonds
Description Level: Sub sub series
Series Number: 3.6.1
Accession Number: 1-2010
GMD: multiple media
Date Range: 1987
Material Details: Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History /
Biographical:

Directed by Dr. Nicholson and with Jane Gibson as crew chief, two test units TU 107 and TU 108 were excavated six meters apart in 1987 and produced cultural materials which warranted a block excavation. Seven contiguous 1m² units were opened in 1987 (XU 118, 119, 122, 123, 125, 126 (TU108) and 127). This block proved to be very productive of cultural remains. Large bison bone and fire-cracked rock indicated butchering/processing areas. Two bone tools, fabricated from scapulae were recovered. One is a bone knife – possibly a squash knife – and the other is a bifurcated scapula, which may have been a hoe.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methodology, number and co-ordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Lovstrom Block E 1987
Subject Access: Archaeology
Lovstrom locale
Lovstrom Block E



Lovstrom survey 1985

<http://archives.brandonu.ca/en/permalink/descriptions12408>

Part Of: RG 7 Beverley Nicholson fonds
Description Level: Sub sub series
Series Number: 3.1.1
Accession Number: 1-2010
GMD: multiple media
Date Range: 1985
Material Details: Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History /

Biographical:

Directed by Dr. Nicholson, a crew of five students from Brandon University under the supervision of Dr. Scott Hamilton excavated a total of 9 units in 1985. This testing indicated the presence of artifacts manufactured by Blackduck and Duckbay peoples from the boreal forest and northern parkland areas. Other ceramics diagnostic of groups from the Saskatchewan Basin and the Middle Missouri area were also recovered in surface collection from the cultivated area of the locale.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methodology, number and co-ordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Lovstrom survey 1985
Subject Access: Archaeology
Lovstrom locale
Lovstrom survey
Lovstrom survey 1985



Lovstrom survey 1986

<http://archives.brandonu.ca/en/permalink/descriptions12409>

Part Of: RG 7 Beverley Nicholson fonds

Description Level: Sub sub series

Series Number: 3.1.2

Accession Number: 1-2010

GMD: multiple media

Date Range: 1986

Material Details: Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History /

Biographical:

Directed by Dr. Nicholson with Brenda Kramarchuck as crew chief, two students from Brandon University were hired to excavate an additional sample of 15 1m² units in 1986. This work confirmed the results of the first season, and resulted in an increased sample of faunal material, lithics, ceramics, and in the identification of distinctive ceramic clusters from different locations within the locale. These two seasons of testing satisfactorily demonstrated the presence of a large Prehistoric locale containing the remains of Late Woodland occupation which included lithics, ceramics and reasonably well preserved faunal remains.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methodology, number and co-ordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Lovstrom survey 1986

Subject Access: Archaeology
Lovstrom locale
Lovstrom survey
Lovstrom survey 1986



Crepeele locale Radiocarbon Report I

<http://archives.brandonu.ca/en/permalink/descriptions11968>

Part Of: RG 7 Beverley Nicholson fonds

Description Level: Sub sub series

Series Number: 1.5.1

Accession Number: 1-2010

GMD: multiple media

Date Range: 2003-2008

Physical Description: 3 pages

Material Details: Radiocarbon date reports have been scanned in multi-page PDF files.

History /

Biographical:

Crepeele locale Radiocarbon Dates. C14 report by IsoTrace Laboratory for Crepeele site 2005 XU 8.

From 2003 to 2008 field work took place at the Crepeele locale with 75 - 1m x1m units excavated.

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access: Crepeele locale Radiocarbon Report I

Subject Access: Archaeology
Crepeele locale
Crepeele locale Radiocarbon Dates

Documents

IsoTrace Radiocarbon Laboratory
Accelerator Mass Spectrometry Facility
at the University of Toronto
180 St. George Street, 6th Floor
Toronto, Ontario M5S 1A5
Tel: (416) 978-2000 ext. 2300
Fax: (416) 978-2000 ext. 2301
Email: info@iso-trace.com

*Crepeele Black D suspension surrounding
extensive bison skull/bone*

Radiocarbon Analysis Report
Reference: 2005 XU 8

Statement: IsoTrace Radiocarbon Laboratory, located at the University of Toronto, is a non-profit organization that provides radiocarbon dating services to the academic and research communities. The laboratory is accredited by the American Society for Testing and Materials (ASTM) and the International Union of Pure and Applied Chemistry (IUPAC). The laboratory is also a member of the International Radiocarbon Association (IRA). The laboratory is committed to providing accurate and reliable radiocarbon dating services to its clients.

Sample	Material	Preparation	Measurement	Age (BP)	1σ Error	2σ Error
2005 XU 8	Black D suspension	AMS	10000 ± 100	10000 ± 100	10000 ± 100	10000 ± 100

The provided age range is based on the sample size and the measurement error. In a worst case, this date may not be reliable if contamination is present.

[Signature]
Dr. R. S. Bradley

1.5.1_Crepeele05_RC1
4.pdf

[Read PDF](#)

[Download PDF](#)



Crepeele locale Radiocarbon Report II

<http://archives.brandonu.ca/en/permalink/descriptions11969>

Part Of: RG 7 Beverley Nicholson fonds
Description Level: Sub sub series
Series Number: 1.5.2
Accession Number: 1-2010
GMD: multiple media
Date Range: 2003-2008
Physical Description: 8 pages
Material Details: Radiocarbon date reports have been scanned in multi-page PDF files.

History /

Biographical:

Crepeele locale Radiocarbon Dates. C14 report by Beta Analytic Inc. for Crepeele site XU 48 and Graham site XU 54.

From 2003 to 2008 field work took place at the Crepeele locale with 75 - 1m x1m units excavated.

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.


Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access: Crepeele locale Radiocarbon Report II
Subject Access: Archaeology
Crepeele locale
Crepeele locale Radiocarbon Dates

Documents



BETA ANALYTIC INC.

100 N.W. 10th Ave., Suite 1000
Fort Lauderdale, FL 33304

Phone: (954) 576-1100
Fax: (954) 576-1101
E-mail: info@beta-analytic.com
Web: www.beta-analytic.com

REPORT OF RADIOCARBON DATING ANALYSES

Report No.: 157008

Client Name: 157008

Sample Name:

Material:

Substrate (Type):

157008

Sample 1:

1000 ± 100 BP

1000 ± 100 BP

1000 ± 100 BP

Sample 2:

1000 ± 100 BP

1000 ± 100 BP

1000 ± 100 BP

Sample 3:

1000 ± 100 BP

1000 ± 100 BP

1000 ± 100 BP

Sample 4:

1000 ± 100 BP

1000 ± 100 BP

1000 ± 100 BP

Sample 5:

1000 ± 100 BP

1000 ± 100 BP

1000 ± 100 BP

Sample 6:

1000 ± 100 BP

1000 ± 100 BP

1000 ± 100 BP

Sample 7:

1000 ± 100 BP

1000 ± 100 BP

1000 ± 100 BP

Sample 8:

1000 ± 100 BP

1000 ± 100 BP

1000 ± 100 BP

Sample 9:

1000 ± 100 BP

1000 ± 100 BP

1000 ± 100 BP

Sample 10:

1000 ± 100 BP

1000 ± 100 BP

1000 ± 100 BP

Crepeele locale Radiocarbon Report III

<http://archives.brandonu.ca/en/permalink/descriptions11970>

Part Of: RG 7 Beverley Nicholson fonds

Description Level: Sub sub series

Series Number: 1.5.3

Accession Number: 1-2010

GMD: multiple media

Date Range: 2003-2008

Physical Description: 9 pages

Material Details: Radiocarbon date reports have been scanned in multi-page PDF files.

History /

Biographical:

Crepeele locale Radiocarbon Dates. C14 report by Beta Analytic Inc. for Crepeele site XUs 8, 30, 50.

From 2003 to 2008 field work took place at the Crepeele locale with 75 - 1m x1m units excavated.

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.


Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access: Crepeele locale Radiocarbon Report III


Subject Access: Archaeology
Crepeele locale
Crepeele locale Radiocarbon Dates

Documents

**BETA ANALYTIC INC.**
13600 W. 31st Ave., Suite 100
Westminster, CO 80040
Tel: 303.440.7400 Fax: 303.440.7401
www.betainc.com

REPORT OF RADIOCARBON DATING ANALYSES
Dr. R. A. Nicholson Report No.: 10112008
Boulder University Material Received: 10/11/2008

Sample Date	Material Description	13C (‰)	Conventional Radiocarbon Age (BP)
See Table	1011-1012	-26.1‰	100 ± 40
See Table	1011-1013	-26.1‰	100 ± 40
See Table	1011-1014	-26.1‰	100 ± 40
See Table	1011-1015	-26.1‰	100 ± 40
See Table	1011-1016	-26.1‰	100 ± 40
See Table	1011-1017	-26.1‰	100 ± 40
See Table	1011-1018	-26.1‰	100 ± 40
See Table	1011-1019	-26.1‰	100 ± 40
See Table	1011-1020	-26.1‰	100 ± 40
See Table	1011-1021	-26.1‰	100 ± 40
See Table	1011-1022	-26.1‰	100 ± 40
See Table	1011-1023	-26.1‰	100 ± 40
See Table	1011-1024	-26.1‰	100 ± 40
See Table	1011-1025	-26.1‰	100 ± 40
See Table	1011-1026	-26.1‰	100 ± 40
See Table	1011-1027	-26.1‰	100 ± 40
See Table	1011-1028	-26.1‰	100 ± 40
See Table	1011-1029	-26.1‰	100 ± 40
See Table	1011-1030	-26.1‰	100 ± 40
See Table	1011-1031	-26.1‰	100 ± 40
See Table	1011-1032	-26.1‰	100 ± 40
See Table	1011-1033	-26.1‰	100 ± 40
See Table	1011-1034	-26.1‰	100 ± 40
See Table	1011-1035	-26.1‰	100 ± 40
See Table	1011-1036	-26.1‰	100 ± 40
See Table	1011-1037	-26.1‰	100 ± 40
See Table	1011-1038	-26.1‰	100 ± 40
See Table	1011-1039	-26.1‰	100 ± 40
See Table	1011-1040	-26.1‰	100 ± 40
See Table	1011-1041	-26.1‰	100 ± 40
See Table	1011-1042	-26.1‰	100 ± 40
See Table	1011-1043	-26.1‰	100 ± 40
See Table	1011-1044	-26.1‰	100 ± 40
See Table	1011-1045	-26.1‰	100 ± 40
See Table	1011-1046	-26.1‰	100 ± 40
See Table	1011-1047	-26.1‰	100 ± 40
See Table	1011-1048	-26.1‰	100 ± 40
See Table	1011-1049	-26.1‰	100 ± 40
See Table	1011-1050	-26.1‰	100 ± 40
See Table	1011-1051	-26.1‰	100 ± 40
See Table	1011-1052	-26.1‰	100 ± 40
See Table	1011-1053	-26.1‰	100 ± 40
See Table	1011-1054	-26.1‰	100 ± 40
See Table	1011-1055	-26.1‰	100 ± 40
See Table	1011-1056	-26.1‰	100 ± 40
See Table	1011-1057	-26.1‰	100 ± 40
See Table	1011-1058	-26.1‰	100 ± 40
See Table	1011-1059	-26.1‰	100 ± 40
See Table	1011-1060	-26.1‰	100 ± 40
See Table	1011-1061	-26.1‰	100 ± 40
See Table	1011-1062	-26.1‰	100 ± 40
See Table	1011-1063	-26.1‰	100 ± 40
See Table	1011-1064	-26.1‰	100 ± 40
See Table	1011-1065	-26.1‰	100 ± 40
See Table	1011-1066	-26.1‰	100 ± 40
See Table	1011-1067	-26.1‰	100 ± 40
See Table	1011-1068	-26.1‰	100 ± 40
See Table	1011-1069	-26.1‰	100 ± 40
See Table	1011-1070	-26.1‰	100 ± 40
See Table	1011-1071	-26.1‰	100 ± 40
See Table	1011-1072	-26.1‰	100 ± 40
See Table	1011-1073	-26.1‰	100 ± 40
See Table	1011-1074	-26.1‰	100 ± 40
See Table	1011-1075	-26.1‰	100 ± 40
See Table	1011-1076	-26.1‰	100 ± 40
See Table	1011-1077	-26.1‰	100 ± 40
See Table	1011-1078	-26.1‰	100 ± 40
See Table	1011-1079	-26.1‰	100 ± 40
See Table	1011-1080	-26.1‰	100 ± 40
See Table	1011-1081	-26.1‰	100 ± 40
See Table	1011-1082	-26.1‰	100 ± 40
See Table	1011-1083	-26.1‰	100 ± 40
See Table	1011-1084	-26.1‰	100 ± 40
See Table	1011-1085	-26.1‰	100 ± 40
See Table	1011-1086	-26.1‰	100 ± 40
See Table	1011-1087	-26.1‰	100 ± 40
See Table	1011-1088	-26.1‰	100 ± 40
See Table	1011-1089	-26.1‰	100 ± 40
See Table	1011-1090	-26.1‰	100 ± 40
See Table	1011-1091	-26.1‰	100 ± 40
See Table	1011-1092	-26.1‰	100 ± 40
See Table	1011-1093	-26.1‰	100 ± 40
See Table	1011-1094	-26.1‰	100 ± 40
See Table	1011-1095	-26.1‰	100 ± 40
See Table	1011-1096	-26.1‰	100 ± 40
See Table	1011-1097	-26.1‰	100 ± 40
See Table	1011-1098	-26.1‰	100 ± 40
See Table	1011-1099	-26.1‰	100 ± 40
See Table	1011-1100	-26.1‰	100 ± 40
See Table	1011-1101	-26.1‰	100 ± 40
See Table	1011-1102	-26.1‰	100 ± 40
See Table	1011-1103	-26.1‰	100 ± 40
See Table	1011-1104	-26.1‰	100 ± 40
See Table	1011-1105	-26.1‰	100 ± 40
See Table	1011-1106	-26.1‰	100 ± 40
See Table	1011-1107	-26.1‰	100 ± 40
See Table	1011-1108	-26.1‰	100 ± 40
See Table	1011-1109	-26.1‰	100 ± 40
See Table	1011-1110	-26.1‰	100 ± 40
See Table	1011-1111	-26.1‰	100 ± 40
See Table	1011-1112	-26.1‰	100 ± 40
See Table	1011-1113	-26.1‰	100 ± 40
See Table	1011-1114	-26.1‰	100 ± 40
See Table	1011-1115	-26.1‰	100 ± 40
See Table	1011-1116	-26.1‰	100 ± 40
See Table	1011-1117	-26.1‰	100 ± 40
See Table	1011-1118	-26.1‰	100 ± 40
See Table	1011-1119	-26.1‰	100 ± 40
See Table	1011-1120	-26.1‰	100 ± 40
See Table	1011-1121	-26.1‰	100 ± 40
See Table	1011-1122	-26.1‰	100 ± 40
See Table	1011-1123	-26.1‰	100 ± 40
See Table	1011-1124	-26.1‰	100 ± 40
See Table	1011-1125	-26.1‰	100 ± 40
See Table	1011-1126	-26.1‰	100 ± 40
See Table	1011-1127	-26.1‰	100 ± 40
See Table	1011-1128	-26.1‰	100 ± 40
See Table	1011-1129	-26.1‰	100 ± 40
See Table	1011-1130	-26.1‰	100 ± 40
See Table	1011-1131	-26.1‰	100 ± 40
See Table	1011-1132	-26.1‰	100 ± 40
See Table	1011-1133	-26.1‰	100 ± 40
See Table	1011-1134	-26.1‰	100 ± 40
See Table	1011-1135	-26.1‰	100 ± 40
See Table	1011-1136	-26.1‰	100 ± 40
See Table	1011-1137	-26.1‰	100 ± 40
See Table	1011-1138	-26.1‰	100 ± 40
See Table	1011-1139	-26.1‰	100 ± 40
See Table	1011-1140	-26.1‰	100 ± 40
See Table	1011-1141	-26.1‰	100 ± 40
See Table	1011-1142	-26.1‰	100 ± 40
See Table	1011-1143	-26.1‰	100 ± 40
See Table	1011-1144	-26.1‰	100 ± 40
See Table	1011-1145	-26.1‰	100 ± 40
See Table	1011-1146	-26.1‰	100 ± 40
See Table	1011-1147	-26.1‰	100 ± 40
See Table	1011-1148	-26.1‰	100 ± 40
See Table	1011-1149	-26.1‰	100 ± 40
See Table	1011-1150	-26.1‰	100 ± 40
See Table	1011-1151	-26.1‰	100 ± 40
See Table	1011-1152	-26.1‰	100 ± 40
See Table	1011-1153	-26.1‰	100 ± 40
See Table	1011-1154	-26.1‰	100 ± 40
See Table	1011-1155	-26.1‰	100 ± 40
See Table	1011-1156	-26.1‰	100 ± 40
See Table	1011-1157	-26.1‰	100 ± 40
See Table	1011-1158	-26.1‰	100 ± 40
See Table	1011-1159	-26.1‰	100 ± 40
See Table	1011-1160	-26.1‰	100 ± 40
See Table	1011-1161	-26.1‰	100 ± 40
See Table	1011-1162	-26.1‰	100 ± 40
See Table	1011-1163	-26.1‰	100 ± 40
See Table	1011-1164	-26.1‰	100 ± 40
See Table	1011-1165	-26.1‰	100 ± 40
See Table	1011-1166	-26.1‰	100 ± 40
See Table	1011-1167	-26.1‰	100 ± 40
See Table	1011-1168	-26.1‰	100 ± 40
See Table	1011-1169	-26.1‰	100 ± 40
See Table	1011-1170	-26.1‰	100 ± 40
See Table	1011-1171	-26.1‰	100 ± 40
See Table	1011-1172	-26.1‰	100 ± 40
See Table	1011-1173	-26.1‰	100 ± 40
See Table	1011-1174	-26.1‰	100 ± 40
See Table	1011-1175	-26.1‰	100 ± 40
See Table	1011-1176	-26.1‰	100 ± 40
See Table	1011-1177	-26.1‰	100 ± 40
See Table	1011-1178	-26.1‰	100 ± 40
See Table	1011-1179	-26.1‰	100 ± 40
See Table	1011-1180	-26.1‰	100 ± 40
See Table	1011-1181	-26.1‰	100 ± 40
See Table	1011-1182	-26.1‰	100 ± 40
See Table	1011-1183	-26.1‰	100 ± 40
See Table	1011-1184	-26.1‰	100 ± 40
See Table	1011-1185	-26.1‰	100 ± 40
See Table	1011-1186	-26.1‰	100 ± 40
See Table	1011-1187	-26.1‰	100 ± 40
See Table	1011-1188	-26.1‰	100 ± 40
See Table	1011-1189	-26.1‰	100 ± 40
See Table	1011-1190	-26.1‰	100 ± 40
See Table	1011-1191	-26.1‰	100 ± 40
See Table	1011-1192	-26.1‰	100 ± 40
See Table	1011-1193	-26.1‰	100 ± 40
See Table	1011-1194	-26.1‰	100 ± 40
See Table	1011-1195	-26.1‰	100 ± 40
See Table	1011-1196	-26.1‰	100 ± 40
See Table	1011-1197	-26.1‰	100 ± 40
See Table	1011-1198	-26.1‰	100 ± 40
See Table	1011-1199	-26.1‰	100 ± 40
See Table	1011-1200	-26.1‰	100 ± 40
See Table	1011-1201	-26.1‰	100 ± 40
See Table	1011-1202	-26.1‰	100 ± 40
See Table	1011-1203	-26.1‰	100 ± 40
See Table	1011-1204	-26.1‰	100 ± 40
See Table	1011-1205	-26.1‰	100 ± 40
See Table	1011-1206	-26.1‰	100 ± 40
See Table	1011-1207	-26.1‰	100 ± 40
See Table	1011-1208	-26.1‰	100 ± 40
See Table	1011-1209	-26.1‰	100 ± 40
See Table	1011-1210	-26.1‰	100 ± 40
See Table	1011-1211	-26.1‰	100 ± 40
See Table	1011-1212	-26.1‰	100 ± 40
See Table	1011-1213	-26.1‰	100 ± 40
See Table	1011-1214	-26.1‰	100 ± 40
See Table	1011-1215	-26.1‰	100 ± 40
See Table	1011-1216	-26.1‰	100 ± 40
See Table	1011-1217	-26.1‰	100 ± 40
See Table	1011-1218	-26.1‰	100 ± 40
See Table	1011-1219	-26.1‰	100 ± 40
See Table	1011-1220	-26.1‰	100 ± 40
See Table	1011-1221	-26.1‰	100 ± 40
See Table	1011-1222	-26.1‰	100 ± 40
See Table	1011-1223	-26.1‰	100 ± 40
See Table	1011-1224	-26.1‰	100 ± 40
See Table	1011-1225	-26.1‰	100 ± 40
See Table	1011-1226	-26.1‰	100 ± 40
See Table	1011-1227	-26.1‰	100 ± 40
See Table	1011-1228	-26.1‰	100 ± 40
See Table	1011-1229	-26.1‰	100 ± 40
See Table	1011-1230	-26.1‰	100 ± 40
See Table	1011-1231	-26.1‰	100 ± 40
See Table	1011-1232	-26.1‰	100 ± 40
See Table	1011-1233	-26.1‰	100 ± 40
See Table	1011-1234	-26.1‰	100 ± 40
See Table	1011-1235	-26.1‰	100 ± 40
See Table	1011-1236	-26.1‰	100 ± 40
See Table	1011-1237	-26.1‰	100 ± 40
See Table	1011-1238	-26.1‰	100 ± 40
See Table	1011-1239	-26.1‰	100 ± 40
See Table	1011-1240	-26.1‰	100 ± 40
See Table	1011-1241	-26.1‰	100 ± 40
See Table	1011-1242	-26.1‰	100 ± 40
See Table	1011-1243	-26.1‰	100 ± 40
See Table	1011-1244	-26.1‰	100 ± 40
See Table	1011-1245	-26.1‰	100 ± 40
See Table	1011-1246	-26.1‰	100 ± 40
See Table	1011-1247	-26.1‰	100 ± 40
See Table	1011-1248	-26.1‰	100 ± 40
See Table	1011-1249	-26.1‰	100 ± 40
See Table	1011-1250	-26.1‰	100 ±



Crepeelee locale Radiocarbon Report IV

<http://archives.brandonu.ca/en/permalink/descriptions11971>

Part Of: RG 7 Beverley Nicholson fonds

Description Level: Sub sub series

Series Number: 1.5.4

Accession Number: 1-2010

GMD: multiple media

Date Range: 2003-2008

Physical Description: 2 pages

Material Details: Radiocarbon date reports have been scanned in multi-page PDF files.

History /

Biographical:

Crepeelee locale Radiocarbon Dates. C14 report by IsoTrace Analytic Laboratory for Sarah site XU17.

From 2003 to 2008 field work took place at the Crepeelee locale. The Crepeelee, Graham and Sarah sites were excavated with 75 - 1m x1m units excavated

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeelee locale.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.


Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeelee, Sarah and Graham sites.

Name Access: Crepeelee locale Radiocarbon Report IV

Subject Access: Archaeology
Crepeelee locale
Crepeelee locale Radiocarbon Dates

Documents



Crepeelee locale Radiocarbon Report V

<http://archives.brandonu.ca/en/permalink/descriptions11972>

Part Of: RG 7 Beverley Nicholson fonds

Description Level: Sub sub series

Series Number: 1.5.5


Accession Number: 1-2010

GMD: multiple media

Date Range: 2003-2008

Physical Description: 2 pages

Material Details: Radiocarbon date reports have been scanned in multi-page PDF files.



Biographical:

Crepeele locale Radiocarbon Dates. C14 report by IsoTrace Analytic Laboratory for Graham site XUs 5 and 8.

From 2003 to 2008 field work took place at the Crepeele locale. The Crepeele, Graham and Sarah sites were excavated with 75 - 1m x1m units excavated

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.


Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access: Crepeele locale Radiocarbon Report V

Subject Access: Archaeology
Crepeele locale
Crepeele locale Radiocarbon Dates

Documents





Casselman survey - field journals

<http://archives.brandonu.ca/en/permalink/descriptions10218>

Part Of: RG 7 Beverley Nicholson fonds

Description Level: Sub sub series

Series Number: 1.1.2

Accession Number: 1-2010

GMD: textual records

Date Range: 2003

History /

Biographical:

Archaeological testing began in the Crepeelee locale in May 2003. The Casselman survey in the Crepeelee locale was directed by Bev Nicholson and James Graham supervised the crew. Crew members were Sarah Graham, Jollana Bishop, Lisa Sonnenburg, Todd Kristensen, Michael Evans, and Emily Ansell.

Scope and Content:

The director, field supervisor and some field crew kept daily journals of activities during the survey including: excavation methods, items recovered, features, local environment and weather are noted.

Name Access: Casselman survey

Subject Access: Archaeology field journals

Archaeology

Crepeelee locale

Casselman survey

Arrangement:

Field journals were scanned in their entirety as one multi-page PDF. However, each journal may contain information that relates to multiple sites or individuals. The entire PDF journal is linked to each file level description with the relevant page numbers indicated in the Scope and Content note.



Casselman survey - artifact catalogue

<http://archives.brandonu.ca/en/permalink/descriptions11722>

Part Of: RG 7 Beverley Nicholson fonds

Description Level: Sub sub series

Series Number: 1.1.4

Accession Number: 1-2010

GMD: textual records

Date Range: 2003

Physical Description: 264 pages

Material Details: PDF

History /

Biographical:

Artifact catalogue containing 597 records from the Casselman survey 2003.


Scope and Content:

Spreadsheet containing information about the artifacts recovered, including: unit, level, artifact number, catalogue number, depth, co-ordinates, entry date, date recovered, count, weight, UTM co-ordinates, notes (excavators initials and comments) and artifact identification.

Name Access: Casselman survey - artifact catalogue

Subject Access: Archaeology
Crepelee locale
Casselman survey

Documents



1.1.4_Ca03_artcat.pdf

 Read PDF

 Download PDF



North Lauder locale Radiocarbon Report I

<http://archives.brandonu.ca/en/permalink/descriptions12327>

Part Of: RG 7 Beverley Nicholson fonds

Description Level: Sub sub series

Series Number: 2.5.1

Accession Number: 1-2010

GMD: multiple media

Date Range: 1997-2000

Physical Description: 2 pages

Material Details: Radiocarbon date reports have been scanned in multi-page PDF files.

History /

Biographical:

North Lauder Radiocarbon Date report by IsoTrace Laboratory for Atkinson II site #TO-11882.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access: North Lauder locale Radiocarbon Report I

Subject Access: Archaeology
North Lauder locale
North Lauder locale Radiocarbon Report I

Documents

2.5.1_Atkinson_RC14_
TO-11882.pdf

[Read PDF](#)

[Download PDF](#)

North Lauder locale Radiocarbon Report 2



<http://archives.brandonu.ca/en/permalink/descriptions12328>

Part Of: RG 7 Beverley Nicholson fonds

Description Level: Sub sub series

Series Number: 2.5.2

Accession Number: 1-2010

GMD: multiple media

Date Range: 1997-2000

Physical Description: 2 pages

Material Details: Radiocarbon date reports have been scanned in multi-page PDF files.

History /
Biographical:

North Lauder Radiocarbon Date report by IsoTrace Laboratory for Atkinson site #TO-10640.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access: North Lauder locale Radiocarbon Report 2


Subject Access: Archaeology
North Lauder locale
North Lauder locale Radiocarbon Report 2

Documents



2.5.2_Atkinson_RC14_
TO-10640.pdf

 Read PDF



North Lauder locale Radiocarbon Report 3

<http://archives.brandonu.ca/en/permalink/descriptions12329>

Part Of: RG 7 Beverley Nicholson fonds

Description Level: Sub sub series

Series Number: 2.5.3

Accession Number: 1-2010

GMD: multiple media

Date Range: 1997-2000

Physical Description: 1 page

Material Details: Radiocarbon date reports have been scanned in multi-page PDF files.

History /

Biographical:

North Lauder Radiocarbon Date report by IsoTrace Laboratory for Atkinson site #TO-13365.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.


Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access: North Lauder locale Radiocarbon Report 3

Subject Access: Archaeology
North Lauder locale
North Lauder locale Radiocarbon Report 3

Documents



North Lauder locale Radiocarbon Report 4

<http://archives.brandonu.ca/en/permalink/descriptions12330>

Part Of: RG 7 Beverley Nicholson fonds

Description Level: Sub sub series

Series Number: 2.5.4

Accession Number: 1-2010

GMD: multiple media

Date Range: 1997-2000

Physical Description: pages 5-7

Material Details: Radiocarbon date reports have been scanned in multi-page PDF files.

History /

Biographical:

North Lauder Radiocarbon Date report by Beta Analytic Inc. for Flintstone Hill #109529 and #109530.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access: North Lauder locale Radiocarbon Report 4

Subject Access: Archaeology
North Lauder locale
North Lauder locale Radiocarbon Report 4

Documents



2.5.4_FSH_RC14_Beta
-109529_109530.pdf

 Read PDF

 Download PDF



North Lauder locale Radiocarbon Report 5

<http://archives.brandonu.ca/en/permalink/descriptions12331>

Part Of: RG 7 Beverley Nicholson fonds

Description Level: Sub sub series

Series Number: 2.5.5

Accession Number: 1-2010

GMD: multiple media

Date Range: 1997-2000

Physical Description: pages 3-5

Material Details: Radiocarbon date reports have been scanned in multi-page PDF files.

History /

Biographical:

North Lauder Radiocarbon Date report by Beta Analytic Inc. for Flintstone Hill #111142 and #111143.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.


Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.


Name Access: North Lauder locale Radiocarbon Report 5


Subject Access: Archaeology
North Lauder locale
North Lauder locale Radiocarbon Report 5

Documents



2.5.5_FSH_RC14_Beta
_111142_111143.pdf

 Read PDF

 Download PDF