

# S. J. McKee Archives



# The Quill

http://archives.brandonu.ca/en/permalink/descriptions3484

Part Of:	RG 6 Brandon University fonds
Description Level:	Sub sub series
Series Number:	14.5.3
Accession Number:	13-2006, 23-2006, 1-2007
GMD:	textual records
GMD: Date Range:	textual records 1910-2006

Biographical:

The Quill was established in 1910, and is the second oldest student newspaper in western Canada. It was also the first student run publication at Brandon College. The December (Vol. I, No. 1) edition states that "the demand for such a paper [had] been steadily increasing until at last some definite steps towards bringing one into existence became absolutely necessary." The first step was the election of a committe by the Literary Society to look into the possibilites of the project and report at a special meeting. Following the acceptance of the committee's favorable report, another committee was appointed to outline a policy and nominate officers and staff.

The inagural staff of the Quill, "having examined the reasons for the discontinuance of the Brandon College Monthly some years ago, [found] that these have been to a large extent removed by the development of the College in the intervening years." They felt that the "student body [had] grown to such an extent that the problem of getting sufficient material for a paper, as well as the financial difficulty, [had] been appreciably reduced." For them, this development "not only justified but demanded the advent of a College paper." The creation of the Quill was also influenced by the awareness of the students involved that their college was in a state of constant change. They felt that they "[could not] allow this important period of [their] College history to pass away and be forgotten." The newpaper enabled them to record the growth and changes on campus for the benefit of the students and friends of the College.

Originally the publication of three editions of the Quill, i.e. Christmas, Easter and a special graduates' number, were planned; the policy on the limited number of issues was to allow the Quill and its staff time to establish themselves, with the aim of expanding into a monthly paper as soon as it was thought advisable to do so. In 1911, the Quill was printed quarterly, with the first three issues of the school year consisting of student publications and professors writings, as well as containg various columns on campus activities. The final issue of that year, and subsequent years, was called the Commencement Issue, and it contained a brief biographical sketch of each member of the graduating class.

In 1927, the Quill was split into two separate entities. In the April edition (Vol. XVI, No. 11), the editorial staff wrote that the Quill's "... function and the efficiency with which it has performed that function in the immediate past are ... doubtful. The present management realize this and feel that the "Quill" as conducted at present can assume neither the utility of a newspaper nor the intrinsic value of a year-book." Subsequently it was decided to publish a fortnightly, or biweekly newspaper, which retained the title of "The Quill," as well as a new publication, named

The Sickle, which was to act as a yearbook. This decision was also influenced by the belief that by creating a sepaprate newspaper and yearbook "Brandon College [would] then be on a similar basis in this respect as her sister institutions throughout the Dominion." Although the Quill has occassionally ceased production (for a week or two at most) throughout its history, usually due to a lack of student participation in its production and/or financial troubles, it has continued to be published as as newspaper since 1927.

In 1933, the Quill was presented in an entirely new form. Weekly, for three issues a month, a bulletin was published, with a fourth and more substantial issue at the end of the month. The introduction of the new broadsheet form was an attempt to "reduce stale news" and allow the publication to operate with a "greatly reduced budget." The broadsheet format of the Quill was abandoned in 1934-1935.

Further changes were introduced with the January 15, 1963 (Vol. 53, No. 6) edition of the Quill. In the editorial section of that issue, the staff commented that "the Quill has remained as it is, in size, pattern and almost in content for the last fifty years!" In response, they introduced a weekly Quill (the Quill was first published as a weekly in 1937) and proclaimed that "we find the miserly, pamphlet-sized, shrunken-like Quill no more. In its stead, a fully-grown, broadshouldered, new Quill has risen." Changes included the creation of the Feature and Intervarsity sections, with their own editors, a definite format in the 'lay-out' of articles, and the 'set-up' of pages, as well as a basic and overall reorganization of the Quill staff.

In September 1969 (Vol. 60, No. 1), Acting Editor Tom Brook and the Quill staff clarified the position and purpose of the Quill as follows: "The primary purpose of the Quill is to bring to the attention of the students of Brandon University the issues and events that have direct implications on the lives of these people. We do and will continue to editorialize in our reporting. It may be not as strong as that seen in the past. But the Quill staff does feel that subjective evaluation of events after the case has been put factually is valid, and this shall be a policy that will be adhered to during the coming year." They also took a moment to point out that the Quill, although a student press, was not a commercial newspaper. Furthermore, they wanted "to see the Quill move closer to the concept of the bourgeois pressbut not so close that it loses its identification with students and the issues that concern them."

By 1971, the Quill had adopted the statement of principle of the Student Press in Canada as outline in the Resolutions of the Canadian University Press. Printed on the front page of the September 24 edition, the Quill stated the following policy: It is "... our belief 'that the major role of the student press is to act as an agent of social change, striving to emphasize the rights and responsibilities of the student citizen', and 'that the student press must in fulfilling this role perform both an educative and an active function." The policy went on to declare that the Quill, as an alternative press (an alternative to the commercial press), rather than a newspaper, was "limited to presenting news which the commercial press does not handle and to providing news analysis." The democratic nature of the Quill was also clearly stated in the policy.

The structure of the Quill was altered again in 1984, when an editorial board was instated, replacing the previous editor-in-chief system (although in most cases there was more than one editor in any given year). This board was to function as an organizing unit, with the collective electing officers for a one year term. The collective was made up of members, who had to contribute something to the Quill in one out of every three issues, in order to vote. Contributions included actual content for the paper, production, typing, photography work, office clean-up, or anything else that helped the Quill function. The central concern of the Quill, at the time of these changes, was to represent the "wide variety of social issues which interest Brandon University students." (September 27, 1984). The 'wide variety of social issues' was expanded upon in the September 3, 1987 edition of the Quill's editorial section: "A major purpse of THE QUILL is to provide the community with news and information pertaining to local, regional, national and international issues of concern to students."

Rv 1993 the Editorial Roard was comprised of the News Editor the Co-ordinating Editor and

the CUP Editor and was responsible for the direction and content of the newspaper each week. By 1996, the CUP Editor had been replaced by the Business Manager on the Editorial Board. Clarifying its relationship with BUSU in the November 18, 1996 edition, Co-ordinating Editor Stacey Brown quoted the Quill Constitution: "The Quill collective shall determine and regulate editorial content and policy and shall set such perimeters on acceptable advertising as it shall collectively see fit. Debate and reasonable documentation must be given beofre boycotting anything in the newspaper." She went on to state that "final decisions on most issues are made by the Editorial Board. . . " The position of Editor-in-Chief was reintroduced sometime around 2001.

Throughout its history, the Quill has been a quarterly, a bi-weekly and a weekly publication. It has been printed in various formats, by a number of different companies and has been financed primarily through funding from BUSU, and at present, advertising and a student levy. In 1997, the Quill became one of the first student newspapers in Canada to produce the paper in a completely digital format.

The Quill has been located at a number of locations on campus. Its first home was at the base of the Bell Tower in the original Clark Hall. In the 1970s it was produced in a mobile trailer near the gymnasium, before moving to the former Students' Union office in the lower level of the McMaster Building in 1980. Finally in 1991, the Quill was moved to its current location on the second floor of the Knowles-Douglas Student Centre.

At present (January 2007), the Quill continues to be a member of the Canadian University Press (CUP), and as such is provided with feature articles, news, graphics and fieldworker assistance. The Quill adheres to the CUP Statement of Principles. As a democratic collective, the Quill is open to all students and staff at Brandon University. An autonomous corporate entity since 2005, the Quill is a student run publication; the articles, editing, layout and distribution are done by the students.

#### Custodial History:

Editions of the Quill have been acquired by the McKee Archives from BUSU and former Alumni.

#### Scope and Content:

Sub sub series has been divided into three sub sub sub series, including: (1) The Quill editions; (2) The Quill duplicates and microfilm; and (3) The Quill special editions.

Notes:	Adminitrative information in the History/Bio field was taken from the "Brandon Collge finding aid" prepared by Karyn Reidel for the McKee Archives in 1998 and various editions of the Quill. Post-1927, a handfull of Quill editions contain Literary Supplements.
Subject Access:	college newspapers
	yearbooks
	history
Accruals:	Further accruals expected.
Repro Restriction:	Copyright provisions apply.
Location Original:	S.J. McKee Archives
Location Copy:	See sub sub sub series 14.5.3.2 The Quill duplicates and microfilm for information on copies.
Storage Location:	RG 6 Brandon University fonds Series 14: BUSU 14.5 BUSU publications

Related Material:

Editions of the Brandon College/University Sickle are located at RG 6, sub sub series 14.5.1 (The Sickle).

The Quill and Sickle account book for [1939-1941] is located in the Alfred Angus Murray McPherson collection (21-2006) Box 7, File 7.



### Crepeele locale Radiocarbon Report I

http://archives.brandonu.ca/en/permalink/descriptions11968

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	3 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History /	

**Biographical:** 

Crepeele locale Radiocarbon Dates. C14 report by lsoTrace Laboratory for Crepeele site 2005 XU 8.

From 2003 to 2008 field work took place at the Crepeele locale with 75 -  $1m \times 1m$  units excavated.

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

#### Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access: Crepeele locale Radiocarbon Report I

Subject Access:

Archaeology Crepeele locale Crepeele locale Radiocarbon Dates

### Documents





# Crepeele locale Radiocarbon Report II

### http://archives.brandonu.ca/en/permalink/descriptions11969

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	8 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.

#### History / Biographical:

Crepeele locale Radiocarbon Dates. C14 report by Beta Analytic Inc. for Crepeele site XU 48 and Graham site XU 54.

From 2003 to 2008 field work took place at the Crepeele locale with 75 - 1m x1m units excavated.

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

#### Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

#### Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report II
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates



A. A. Salawa Farana and Angela an
$\label{eq:results} \begin{array}{ c c c c c c c c c c c c c c c c c c c$
Extension by Entr Entr Extension by   100 - 201 20 - 401 Ministration by Entration by </th
Billion Company Billion C
ANDER CONSTRUCTION AND THE ADDRESS HERE AND THE ADDRESS HERE THE ADDRESS HERE THE ADDRESS ADDRESS ADDRESS HERE ADDRESS HERE ADDRESS HERE ADDRESS HERE ADDRESS HERE ADDRESS HERE ADDRESS HERE ADDRESS HERE ADDRESS HERE ADDRESS HER ADDRESS HER ADDRESS HER
No. 2010 (Spandows) Construction (Spandows) And Annual American (Spandows) And American (Spandows) Construction (Spandows) (Spandows
ha dong 20.0-000 20.000 Minut Sector MP-000 Minut Sector S

# Crepeele locale Radiocarbon Report III

### http://archives.brandonu.ca/en/permalink/descriptions11970

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.3
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	9 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History /	
Biographical:	

Crepeele locale Radiocarbon Dates. C14 report by Beta Analytic Inc. for Crepeele site XUs 8, 30, 50.

From 2003 to 2008 field work took place at the Crepeele locale with 75 - 1m x1m units excavated.

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

#### Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.


Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report III
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates





# Crepeele locale Radiocarbon Report IV

http://archives.brandonu.ca/en/permalink/descriptions11971

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.4
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	2 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.

### History / Biographical:

Crepeele locale Radiocarbon Dates. C14 report by lsoTrace Analytic Laboratory for Sarah site XU17.

From 2003 to 2008 field work took place at the Crepeele locale. The Crepeele, Graham and Sarah sites were excavated with 75 - 1m x1m units excavated

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

#### Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.


Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report IV
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates

Serch	Derver scienceses collection sense Support by collection program. (16000) Depring (197 8.3. Statema 187-499 19
	en mil-12-12-1 blenn - ulma meden dana . Nik i 15 MK
of this man. for a	claimse, with a perihelizing of DA on genetics for the unlikesion age is sublocation decs, have been excitations from the denter sublimation for star and MM scattering intervals, which are the is and st insta- mental distribution, are also given. A perhadility of 1000 waves the inches date interaceds the denter salisation surve at this age. matics are scatted to the denter walling of 5 years.
	Prihability calles 00-3 0 c-1. 05-5 0 c-1.
1	55 8 1335 est 40 1320 40 1320 40 1304 40 1304 40 1305 40 100 4 1012 51 40 1309 40 1401 40 1306 40 1000 40
043.00 18959 19-0-8	and with the standard data set from: Let $Vorsetzial maticables are collinging a -14 calling so that the standard set of 10 km plane .$
Freeholds (1)	
.5.4	
	Read PDF
*	Download PDF



# Crepeele locale Radiocarbon Report V

### http://archives.brandonu.ca/en/permalink/descriptions11972

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.5
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	2 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History /	

**Biographical:** 

> Crepeele locale Radiocarbon Dates. C14 report by IsoTrace Analytic Laboratory for Graham site XUs 5 and 8.

> From 2003 to 2008 field work took place at the Crepeele locale. The Crepeele, Graham and Sarah sites were excavated with 75 - 1m x1m units excavated

> To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

#### Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.


Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report V
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates





# North Lauder locale Radiocarbon Report I

http://archives.brandonu.ca/en/permalink/descriptions12327

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.5.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	2 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History / Biographical:	

North Lauder Radiocarbon Date report by IsoTrace Laboratory for Atkinson II site #TO-11882.

#### Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access: Subject Access:

North Lauder locale Radiocarbon Report I Archaeology North Lauder locale North Lauder locale Radiocarbon Report I

### Documents

10 S. Geografication Laboratory Tecnological Million
Accelerator Mass Spectrometry Facility Transmitter (41-41) 403 or the University of Tarenais Beauti radii/solometrometrometrometrometrometrometrometr
Intertace between base at sand dave
and surface of site accupation
Radiocarbon Analysis Report
Jamary 30, 2007
Subman: EAN-dolose, Dept of Native Studio, Standon David, Ball, Bonadin HB. This work is the energy of 22 separate analysis, primarily positivity and a connected for stated and spatien- ting isologic barterination, south the energiest <sup>17</sup> / <sup>17</sup> / <sup>16</sup> , the studie of a positivity of a stated and spatient constrained addressed and a spatient heffer, priorit (FR), using the LBey <sup>16</sup> / <sub>17</sub> constitute of 60(3) spans. The array represents the 60-30 conditional lines.
Europh Ningh Auftraction Age Montheatin Develoption and age Laboration (speec HP) 27.0734-1 (showed 2017 TD-1102 4-0-0.0
C visid like to how your commons on this much. If this much is and in a publication, I would approxime to fyour outfit and one a repetit.
. L.T. Paras
2.5.1_Atkinson_RC14_ TO-11882.pdf
Read PDF
La Download PDF



# North Lauder locale Radiocarbon Report 2

### http://archives.brandonu.ca/en/permalink/descriptions12328

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.5.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	2 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.

### History /

Biographical:

North Lauder Radiocarbon Date report by IsoTrace Laboratory for Atkinson site #TO-10640.

#### Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access:	North Lauder locale Radiocarbon Report 2
Subject Access:	Archaeology
	North Lauder locale
	North Lauder locale Radiocarbon Report 2

### Documents


	60 St. Gonga Strat (Dot) Canada M/H 117
	iptone 401-375-463 Pere 401-375-473 Charlow Patronic on
Ballourbes Analysis Bayeri	
May 27, 2003	
	e sample sprin quend he Littly "C socialiti Apr pain HP1 201 2:00
	Bar De E 7 Joséan
2.5.2_Atkinson_R TO-10640.pc	_
Read PDI	=
🛓 Download P	DF

North Lauder locale Radiocarbon Report 3

http://archives.brandonu.ca/en/permalink/descriptions12329

Part Of:

RG 7 Beverley Nicholson fonds



Description Level:	Sub sub series
Series Number:	2.5.3
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	1 page
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History / Biographical:	

North Lauder Radiocarbon Date report by IsoTrace Laboratory for Atkinson site #TO-13365.

#### Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.


Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access:	North Lauder locale Radiocarbon Report 3
Subject Access:	Archaeology
	North Lauder locale
	North Lauder locale Radiocarbon Report 3





# North Lauder locale Radiocarbon Report 4

### http://archives.brandonu.ca/en/permalink/descriptions12330

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.5.4
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	pages 5-7
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History /	

Biographical:

North Lauder Radiocarbon Date report by Beta Analytic Inc. for Flintstone Hill #109529 and #109530.

#### Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access:	North Lauder locale Radiocarbon Report 4
Subject Access:	Archaeology
	North Lauder locale
	North Lauder locale Radiocarbon Report 4





# North Lauder locale Radiocarbon Report 5

http://archives.brandonu.ca/en/permalink/descriptions12331

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.5.5
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	pages 3-5
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History /	
Biographical:	

North Lauder Radiocarbon Date report by Beta Analytic Inc. for Flintstone Hill #111142 and #111143.

#### Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access: Subject Access:

North Lauder locale Radiocarbon Report 5 Archaeology North Lauder locale North Lauder locale Radiocarbon Report 5

### Documents

	12/12/97 4:57 Ph			H 1
Notes Mri, 13 Not 7 From Intelligities		a Third		
fex adoted and Mennel Inpla-ter Interfaced	nit.ck	dynas har.)		
Millionenier 1.0				
	atalandyila ala, tet			
THEN IN A COPY OF THE OLD PARTY OF THE	IN REPORT MALLER TO IC	0 YOM, OLIMON		
har in. Metolant				
used and three brow The word nample one the three leaves seen mentions making and an dealgestad on the re- analytical stops we signe statistics on the second sec	integrate which were at integration for call a map much and coupl	the results, kill ad actors represent i out include to constitute		
the costils for the reduceron stands	Deta-22200 is report of 120% being f or y	ed as a permittage of were olds. Wild is 104 context which was liarlies the outlos. In generated which the		
Liberation disc consider estimation and First, heport, d. Un import, and const please do not beauty		es of mulpris and Autorian) researches apolitis quartieux,		
Do lovin is apopute siller i asheiston. Sa	millord, Finar, in in proph papers or 0 pro-	and and this charge		
Counties Record Counties and				
Carlos and Street				
	-les	breaker.		
4, 2007 Remains Deleased by		Denador 15		
Jord		manager 17,		
trapic Int.s.	reasonal	0.1402		
COMMENT COMP.	Cit Apr	inter in the second		
Cit age (*)	Ciri Juan	into		
Est age (*) Antenneticitet	Cir Age			
Erizad he be 1	FSH	into nonnecessor	_	Beta
5.5_ _1111	FSF 142	attraction	_ 143.	Beta



# North Lauder locale Radiocarbon Report 6

### http://archives.brandonu.ca/en/permalink/descriptions12332

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.5.6
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	1 page
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.

### History /

Biographical:

North Lauder Radiocarbon Date report by Beta Analytic Inc. for Flintstone Hill #109900.

#### Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.


Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access:	North Lauder locale Radiocarbon Report 6
Subject Access:	Archaeology
	North Lauder locale
	North Lauder locale Radiocarbon Report 6





### Casselman survey - artifact catalogue

http://archives.brandonu.ca/en/permalink/descriptions11722

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.1.4
Accession Number:	1-2010
GMD:	textual records
Date Range:	2003
Physical Description:	264 pages
Material Details:	PDF
History /	
Biographical:	
Artifact catalogue co	ontaining 597 records from the Casselman survey 2003.
Scope and Content:	


Spreadsheet containing information about the artifacts recovered, including: unit, level, artifact number, catalogue number, depth, co-ordinates, entry date, date recovered, count, weight, UTM co-ordinates, notes (excavators initials and comments) and artifact identification.

Name Access: Casselman survey - artifact catalogue

Subject Access:

Archaeology Crepeele locale Casselman survey

### Documents





### Lovstrom Block H 1988

http://archives.brandonu.ca/en/permalink/descriptions12639

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.9.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1988

Material Details:

Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History / Biographical:

Directed by Dr. Nicholson and with lan Kuijt as crew chief, eight units were excavated in Block H in 1988. The vegetation is similar to other areas in the locale with an open oak forest with a light understory of saskatoon, hazelnut, poison ivy and sarsaparilla.

Radiocarbon dates from this block indicate two occupations separated in time by some 300 years. The excavation of the eight 1m2 units resulted in the recovery of over 650 ceramic fragments including 20 rim sherds from at least four vessels, a grooved maul, fire-cracked rock, lithic debitage and a reworked Avonlea projectile point. A large amount of bison bone, including a number of axial elements and a fragmented skull were also recovered.

The 650 ceramics recovered are of two kinds, representing at least four vessels. Stylistically, two of these vessels appear to be from the Vickers Focus and the third vessel may be Mortlach ware. The fourth vessel appears to be Blackduck and probably comes from the lower occupation. Also encountered were what is possibly a thin ash deposit in unit 180. The presence of a large number of bison axial elements is suggestive of primary butchering activities. Several canid bones were recovered scattered among the bison bone. Although there is no visible stratigraphic evidence, the 14C dates and the different ceramic types indicate more than one occupation in this area and it is likely that several types of behavior and use of space are represented.

High numbers of ceramic fragments are often assumed to be associated with activities characteristic of habitation areas, rather than hunting or butchering behavior. The lithic material assemblage is intermediate between Blocks G and E with KRF being the most frequent material category followed by local cherts.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Lovstrom Block H 1988

Subject Access:

Archaeology Lovstrom locale Lovstrom Block H



### Lovstrom Block E 1991

### http://archives.brandonu.ca/en/permalink/descriptions12655

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.6.3
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1991
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

```
History /
```

Biographical:

Excavations took place in block E in 1987 and 1988 with 21 units opened. Ten further units were excavated in 1991 as part of the Brandon University Archaeological Field School, directed by Dr. Nicholson with Brett Waddell as crew chief and Theresa Hill as field assistant.

In 1991 a hearth was identified in Block E as well as a cluster of spoil dirt piles believed to represent material from a pit feature identified in the 1988 excavations. The pit feature is believed to be related to the recovery of clay that may have been used to build ceramic vessels.

Stratigraphic evidence of distinct activity areas at successive depths and radiocarbon dates indicate at least three occupations (380 BP, 700 BP and 860 B P). Three identified activity clusters occur stratigraphically, supporting these dated occupations.

Large numbers of lithics were recovered, forming an assemblage dominated by SRC and KRF with lesser amounts of porcellanite and quartzite. The upper occupation contained some Tongue River Silicified Sediment (TRSS). Eight Prairie Side-Notched points were recovered as well as a lunate biface and an end scraper. Fragments from a grey soapstone tube were also recovered.

#### Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access:

### Lovstrom Block E 1991

Subject Access:

Archaeology Lovstrom locale Lovstrom Block E



# Lovstrom Block H 1991

### http://archives.brandonu.ca/en/permalink/descriptions12671

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.9.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1991
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

#### History /

Biographical:

Based on the recoveries at the Block H in 1988, further excavations took place in 1991. Nine excavation units were opened next to the previous excavations. Another 250 ceramic sherds were recovered in 1991. Nine vessels have been identified based on rim sherds. Vickers Focus and Woodland vessels have been identified and two vessels similar to Scattered Village Complex were recovered.

The lithic material assemblage is intermediate primarily KRF followed by local cherts. Two features, a hearth and a curvilinear arrangement of rock were recovered during the 1991 excavations.

The high numbers of ceramic fragments suggests a habitation area, rather than hunting or butchering behavior. However, the separation of occupations at the site is difficult to establish and there may be different uses of the site by successive occupations.

#### Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access:

Subject Access:

Lovstrom Block H 1991 Archaeology Lovstrom locale Lovstrom Block H



# Lovstrom Block D 1987

### http://archives.brandonu.ca/en/permalink/descriptions12541

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.5.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1987
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

```
History /
```

Biographical:

Block D is a wooded with oak and an understory of saskatoon and hazelnut with a thick ground cover of poison ivy and sarsaparilla. Root and rodent disturbance was extensive.

Directed by Dr. Nicholson and with Jane Gibson as crew chief, two units were opened in Block D in 1987. A hearth was identified with a ring of stones containing charcoal and burnt bone. Recoveries included two rim sherds with tool-impressed decorations along the outer edge and two prairie side-notched points. Associated bone was primarily appendicular, indicating secondary butchering.

A radiocarbon date of 230+/-90 B.P. recovered in 1987 from 17 cm below surface is consistent with a Protohistoric occupation.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Lovstrom Block D 1987

Subject Access:

Archaeology Lovstrom locale Lovstrom Block D



# Lovstrom Block D 1988

### http://archives.brandonu.ca/en/permalink/descriptions12554

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.5.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1988
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

```
History /
```

Biographical:

Block D is a wooded with oak and an understory of saskatoon and hazelnut with a thick ground cover of poison ivy and sarsaparilla. Root and rodent disturbance was extensive. Directed by Dr. Nicholson with lan Kuijit as crew chief, five units were opened in Block D in 1988. Four units were excavated: 88, 91, 92 and 94. A feature in units 91 and 92 contained extensive deposits of large bison bone and fire-cracked rock. Several of the lower limb elements were articulated. Bone deposits were associated with numerous large fire-cracked rocks and were clustered in an area of one meter. Also recovered were a side-notched projectile point and two historic gun flints.

Judging from the association of the gun flints, projectile points, and bison bone, as well as the radiocarbon date of 230+/-90 B.P. recovered in 1987, it appears that this feature is from the Protohistoric period and related to refuse disposal.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Lovstrom Block D 1988 Subject Access: Archaeology

Archaeology Lovstrom locale Lovstrom Block D



# Lovstrom Block E 1987

http://archives.brandonu.ca/en/permalink/descriptions12568

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.6.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1987
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.
History /	

History / Biographical:

Directed by Dr. Nicholson and with Jane Gibson as crew chief, two test units TU 107 and TU 108 were excavated six meters apart in 1987 and produced cultural materials which warranted a block excavation. Seven contiguous 1m2 units were opened in 1987 (XU 118, 119, 122, 123, 125, 126 (TU108) and 127). This block proved to be very productive of cultural remains. Large bison bone and fire-cracked rock indicated butchering/processing areas. Two bone tools, fabricated from scapulae were recovered. One is a bone knife – possibly a squash knife – and the other is a bifurcated scapula, which may have been a hoe.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access:

Subject Access:

Lovstrom Block E1987 Archaeology Lovstrom locale Lovstrom Block E



# Lovstrom Block E 1988

### http://archives.brandonu.ca/en/permalink/descriptions12590

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.6.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1988
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History / Biographical:

Directed by Dr. Nicholson and with lan Kuijt as crew chief, fourteen additional units were excavated in Block E in 1988. Stratigraphic evidence of distinct activity areas at successive depths and radiocarbon dates indicate at least three occupations (380 BP, 700 BP and 860 B P).

Three identified activity clusters occur stratigraphically, supporting these dated occupations. A clear distinction between Blackduck and Vickers Focus ceramics is evident in this Block. Sixteen small side-notched and un-notched points were recovered in this excavation series as well as numerous unifacial scrapers. Fragments from a grey soapstone tube were also recovered.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Subject Access: Lovstrom Block E1988 Archaeology Lovstrom locale

Lovstrom Block E

S. J. McKee Archives