

S. J. McKee Archives



Lovstrom Block E 1988

http://archives.brandonu.ca/en/permalink/descriptions12590

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.6.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1988
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History / Biographical:

Directed by Dr. Nicholson and with lan Kuijt as crew chief, fourteen additional units were excavated in Block E in 1988. Stratigraphic evidence of distinct activity areas at successive depths and radiocarbon dates indicate at least three occupations (380 BP, 700 BP and 860 B P).

Three identified activity clusters occur stratigraphically, supporting these dated occupations. A clear distinction between Blackduck and Vickers Focus ceramics is evident in this Block. Sixteen small side-notched and un-notched points were recovered in this excavation series as well as numerous unifacial scrapers. Fragments from a grey soapstone tube were also recovered.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access:

Subject Access:

Lovstrom Block E1988 Archaeology Lovstrom locale Lovstrom Block E



Lovstrom Block E 1991

http://archives.brandonu.ca/en/permalink/descriptions12655

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.6.3
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1991
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

```
History /
```

Biographical:

Excavations took place in block E in 1987 and 1988 with 21 units opened. Ten further units were excavated in 1991 as part of the Brandon University Archaeological Field School, directed by Dr. Nicholson with Brett Waddell as crew chief and Theresa Hill as field assistant.

In 1991 a hearth was identified in Block E as well as a cluster of spoil dirt piles believed to represent material from a pit feature identified in the 1988 excavations. The pit feature is believed to be related to the recovery of clay that may have been used to build ceramic vessels.

Stratigraphic evidence of distinct activity areas at successive depths and radiocarbon dates indicate at least three occupations (380 BP, 700 BP and 860 B P). Three identified activity clusters occur stratigraphically, supporting these dated occupations.

Large numbers of lithics were recovered, forming an assemblage dominated by SRC and KRF with lesser amounts of porcellanite and quartzite. The upper occupation contained some Tongue River Silicified Sediment (TRSS). Eight Prairie Side-Notched points were recovered as well as a lunate biface and an end scraper. Fragments from a grey soapstone tube were also recovered.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access:

Lovstrom Block E 1991

Subject Access:

Archaeology Lovstrom locale Lovstrom Block E



Lovstrom Block D 1987

http://archives.brandonu.ca/en/permalink/descriptions12541

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.5.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1987
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

```
History /
```

Biographical:

Block D is a wooded with oak and an understory of saskatoon and hazelnut with a thick ground cover of poison ivy and sarsaparilla. Root and rodent disturbance was extensive.

Directed by Dr. Nicholson and with Jane Gibson as crew chief, two units were opened in Block D in 1987. A hearth was identified with a ring of stones containing charcoal and burnt bone. Recoveries included two rim sherds with tool-impressed decorations along the outer edge and two prairie side-notched points. Associated bone was primarily appendicular, indicating secondary butchering.

A radiocarbon date of 230+/-90 B.P. recovered in 1987 from 17 cm below surface is consistent with a Protohistoric occupation.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Lovstrom Block D 1987

Subject Access:

Archaeology Lovstrom locale Lovstrom Block D



Lovstrom Block D 1988

http://archives.brandonu.ca/en/permalink/descriptions12554

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.5.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1988
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History /

Biographical:

Block D is a wooded with oak and an understory of saskatoon and hazelnut with a thick ground cover of poison ivy and sarsaparilla. Root and rodent disturbance was extensive. Directed by Dr. Nicholson with Ian Kuijit as crew chief, five units were opened in Block D in 1988. Four units were excavated: 88, 91, 92 and 94. A feature in units 91 and 92 contained extensive deposits of large bison bone and fire-cracked rock. Several of the lower limb elements were articulated. Bone deposits were associated with numerous large fire-cracked rocks and were clustered in an area of one meter. Also recovered were a side-notched projectile point and two historic gun flints.

Judging from the association of the gun flints, projectile points, and bison bone, as well as the radiocarbon date of 230+/-90 B.P. recovered in 1987, it appears that this feature is from the Protohistoric period and related to refuse disposal.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Lovstrom Block D 1988 Subject Access: Archaeology Lovstrom locale Lovstrom Block D



Lovstrom Block H 1988

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.9.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1988

Material Details:

Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History / Biographical:

Directed by Dr. Nicholson and with lan Kuijt as crew chief, eight units were excavated in Block H in 1988. The vegetation is similar to other areas in the locale with an open oak forest with a light understory of saskatoon, hazelnut, poison ivy and sarsaparilla.

Radiocarbon dates from this block indicate two occupations separated in time by some 300 years. The excavation of the eight 1m2 units resulted in the recovery of over 650 ceramic fragments including 20 rim sherds from at least four vessels, a grooved maul, fire-cracked rock, lithic debitage and a reworked Avonlea projectile point. A large amount of bison bone, including a number of axial elements and a fragmented skull were also recovered.

The 650 ceramics recovered are of two kinds, representing at least four vessels. Stylistically, two of these vessels appear to be from the Vickers Focus and the third vessel may be Mortlach ware. The fourth vessel appears to be Blackduck and probably comes from the lower occupation. Also encountered were what is possibly a thin ash deposit in unit 180. The presence of a large number of bison axial elements is suggestive of primary butchering activities. Several canid bones were recovered scattered among the bison bone. Although there is no visible stratigraphic evidence, the 14C dates and the different ceramic types indicate more than one occupation in this area and it is likely that several types of behavior and use of space are represented.

High numbers of ceramic fragments are often assumed to be associated with activities characteristic of habitation areas, rather than hunting or butchering behavior. The lithic material assemblage is intermediate between Blocks G and E with KRF being the most frequent material category followed by local cherts.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access: Lovstrom Block H 1988

Subject Access:

Archaeology Lovstrom locale Lovstrom Block H



Lovstrom Block H 1991

http://archives.brandonu.ca/en/permalink/descriptions12671

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.9.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1991
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History /

Biographical:

Based on the recoveries at the Block H in 1988, further excavations took place in 1991. Nine excavation units were opened next to the previous excavations. Another 250 ceramic sherds were recovered in 1991. Nine vessels have been identified based on rim sherds. Vickers Focus and Woodland vessels have been identified and two vessels similar to Scattered Village Complex were recovered.

The lithic material assemblage is intermediate primarily KRF followed by local cherts. Two features, a hearth and a curvilinear arrangement of rock were recovered during the 1991 excavations.

The high numbers of ceramic fragments suggests a habitation area, rather than hunting or butchering behavior. However, the separation of occupations at the site is difficult to establish and there may be different uses of the site by successive occupations.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access:

Subject Access:

Lovstrom Block H 1991 Archaeology Lovstrom locale Lovstrom Block H



Lovstrom survey 1985

http://archives.brandonu.ca/en/permalink/descriptions12408

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.1.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1985
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History /

Biographical:

Directed by Dr. Nicholson, a crew of five students from Brandon University under the supervision of Dr. Scott Hamilton excavated a total of 9 units in 1985. This testing indicated the presence of artifacts manufactured by Blackduck and Duckbay peoples from the boreal forest and northern parkland areas. Other ceramics diagnostic of groups from the Saskatchewan Basin and the Middle Missouri area were also recovered in surface collection from the cultivated area of the locale.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access:	Lovstrom survey 1985
Subject Access:	Archaeology
	Lovstrom locale
	Lovstrom survey
	Lovstrom survey 1985



Lovstrom survey 1986

http://archives.brandonu.ca/en/permalink/descriptions12409

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	3.1.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1986
Material Details:	Field journals have been scanned in multi-page PDF files. Artifact catalogues are PDF files in spreadsheet format. Photographs are in jpeg format.

History /

Biographical:

Directed by Dr. Nicholson with Brenda Kramarchuck as crew chief, two students from Brandon University were hired to excavate an additional sample of 15 1m2 units in 1986. This work confirmed the results of the first season, and resulted in an increased sample of faunal material, lithics, ceramics, and in the identification of distinctive ceramic clusters from different locations within the locale. These two seasons of testing satisfactorily demonstrated the presence of a large Prehistoric locale containing the remains of Late Woodland occupation which included lithics, ceramics and reasonably well preserved faunal remains.

Scope and Content:

Sub-sub-sub series contains: Summary information of field methology, number and coordinates of excavations, personnel and their staff position; Field journals are daily records of recoveries, features and activities at the site; Site records include excavation level and unit summaries, feature sheets, profiles; sample records and maps; Artifact catalogues are lists and identifications of all artifacts recovered; Photographs are of excavation units, features, the landscape and personnel.

Name Access:

Subject Access:

Lovstrom survey 1986 Archaeology Lovstrom locale Lovstrom survey Lovstrom survey 1986

IsoTrace Radiocarbon Laboratory	
Accelerated Main Spectrometry Haritity at the Chevoletty of Taronte	Tendens 41 (72-43) An 24 (75-47) Tend cell Salas Patratics
Corporte Black D an Actuante billion shalls	approx correction
retrance bien shalls	resture
Rationation As	too Baged
Potenty In	
Scheimer B. A. Frichsbern, Elspiel Native Station, Bear	
The scale or the orthogen functions in the reasings of 2 is for indust anti-pointing longer functionation, using the or an excellence of operational industrial data the interpret of RCD parts. The error approach the SLI 9 - particular	income "C"? Mr. Through up to provi
In the comparation of the point has been and the top $\Gamma^{(1)}$ to the backward modules. The of $^{(1)}$ the odd we have been been been been point of the addressing the	
Monthairs Description in	toph Inches Apr Cont Likenite Loop (R) Hill No-KAN HERALDA
To police edges once of the people we ob- contacted to re-grant	199. As a result this day any na far-other if
	1
	(har
	Con Library

Crepeele locale Radiocarbon Report I

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	3 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.

History / Biographical:

Crepeele locale Radiocarbon Dates. C14 report by lsoTrace Laboratory for Crepeele site 2005 XU 8.

From 2003 to 2008 field work took place at the Crepeele locale with 75 - 1m x1m units excavated.

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report I
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates

IsoTrace Radiocarbon Laboratory Trans. Conf. and 10.10
LIGE LEASE REALISED LADOPENTY Trans. Conf. Cond. 401 (17) Accelerate Machine Destationary Facility Trans. Conf. Cond. 401 (17) exists University of Transis Total University of Transis
Creparle Black D suspersion serrounding
intrasive bison she lifesture
Radiourbon.tani/tik.Report
Releasey 24, 2009
Solvaine: R.A.Nicholan, Dapr of Native Radin, Straden Yulo, Runadin Mill. This must in the offspin Factoria belt warrage of 2 sponta angly in formal problem and a summand for small and quentify spin behaviouris, spin processed VOCP warrage to provide as assumptions of constrained relations data is your helps parces (BP), sings the Likey VC nearbi- of 2010 and the spin program for 64.5 S solutions into its parts their parces (BP).
Sum-graphical collapse has been some om et al 6 % ² C answarmmen mit dör trenk will be reported as some as it besomer unplikter. Die 3 % ² C wholds our be trend för additional Frantisandars conservings on this Endocycleor dats has alwapped been didy concerned for all interple functionations.
Semple Vergle LoTner Age Montification Description weekings Lab results (2010) CR-ROM-5 Nation - Issuerum ellult 1940 TOT-11810 1430 a. 120
The particle ordingen content of fish sample was only 0.4%. As a result, fits date may not be militale of contamination true present.
Be
Dr. R. P. Bostern
1.5.1 Crepeele05 RC1
_ ' _
4.pdf
Read PDF
📥 Download PDF



Crepeele locale Radiocarbon Report II

http://archives.brandonu.ca/en/permalink/descriptions11969

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	8 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History /	

Biographical:

Crepeele locale Radiocarbon Dates. C14 report by Beta Analytic Inc. for Crepeele site XU 48 and Graham site XU 54.

From 2003 to 2008 field work took place at the Crepeele locale with 75 - 1m x1m units excavated.

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.


Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report II
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates



<text><text><text><text><text>

Crepeele locale Radiocarbon Report III

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.3
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	9 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.

History / Biographical:

Crepeele locale Radiocarbon Dates. C14 report by Beta Analytic Inc. for Crepeele site XUs 8, 30, 50.

From 2003 to 2008 field work took place at the Crepeele locale with 75 - 1m x1m units excavated.

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.


Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report III
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates

REPORT	OF RADIOCARE	ON DATING	ANALYSES
Dr. B. A. Nidelice			Report Data: 18/7/2008
Bauden University			datarial Rescived. 913(2008
Sample Data	Masured Ruliccobin Apr	15C/12C Easter	Convertional Rollocation Apr(1)
Rep 20083 5.009101 - CopielaRIO ANULTURE - 2007 Standard 4001 MATCHAR, WEITHARDEN 1.2007 ACLEDIATION -	SIL400P	-18.7 s/se (with shall (140)	410-1-10.00
0em - 30954 RANPUL: Copolic/H555 ANALYTE: AMESTANDARI INF	40 <- 400P	-95alar	38 << 0.12
Ben - 2000 SAMESE - Copedia/ENIS ANALISE - AMERICAN AND ANALISE - PREPARATION 2 SEAN CELEBRATION -	332 4630 None coloquei colloque comotion Carlos Coloquei colloque comotion	-02.sim with shall with shall	98180-59
Date - Talking	on concer Zon colouri athan conchr	28.3 also	80~0.037
man? - All 1985, the observation revenue attractive way 60% fee way increases and technology (9877) increases and technology (cellon years before proset. To and universities the median doty of the National Institute and Mark (Mark Mark) and the Analysis of Mark (Mark) in statebore (Mith protecting). To in statebore (Mith protecting).	effective Age was obtain rate and the Conversional or Convenienal Redeemth	on Age represents for these to achieve functionation, such are consistent where the constant of activity to activity on and colorador such the Colorador such or activity of colorador such or
neutri - A.D. 1905; Sp. online-tale revents statisticar was 655 fbs vol. Increases and like-baseling priciting interaction and the large vol. And the mean of indexis standard cheval mean of indexis standard cheval mean of the large vol. Interaction of the mean of the large vol. Interaction of the large vol. 2 of mean satisfiabled read of paths (SC) were satisfiabled read of paths (SC) were satisfiabled read.	ing university. The basis of the basis of the basis basis basis of the	ele08	mind uning an answere debe Bederstehn kegen debe bedere aufer en Age in ver understehn aufer der Calification frauch in under anderen Age wird is letter au for esab sample
.5.3.3_(Crepe	ele08 df	B_RC



Crepeele locale Radiocarbon Report IV

http://archives.brandonu.ca/en/permalink/descriptions11971

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.4
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	2 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History /	
Biographical:	

Crepeele locale Radiocarbon Dates. C14 report by IsoTrace Analytic Laboratory for Sarah site XU17.

From 2003 to 2008 field work took place at the Crepeele locale. The Crepeele, Graham and Sarah sites were excavated with 75 - 1m x1m units excavated

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

> The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

> Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.


> Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.


> Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report IV
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates





Crepeele locale Radiocarbon Report V

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.5.5
Accession Number:	1-2010
GMD:	multiple media
Date Range:	2003-2008
Physical Description:	2 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.

History /

Biographical:

Crepeele locale Radiocarbon Dates. C14 report by IsoTrace Analytic Laboratory for Graham site XUs 5 and 8.

From 2003 to 2008 field work took place at the Crepeele locale. The Crepeele, Graham and Sarah sites were excavated with 75 - 1m x1m units excavated

To help establish the cultural sequence at the locale Radiocarbon dates were obtained from the three sites in the Crepeele locale.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Crepeele, Sarah and Graham sites.

Name Access:	Crepeele locale Radiocarbon Report V
Subject Access:	Archaeology
	Crepeele locale
	Crepeele locale Radiocarbon Dates

<section-header><section-header><section-header><section-header><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></section-header></section-header></section-header></section-header>		
<text><text><text><text><text><text></text></text></text></text></text></text>	6.	Output by calibration program (DANA)4 Deputydd (D) N.P.Beckers
<text><text><text><text><text><text></text></text></text></text></text></text>		
<text><text><text><text><text><text></text></text></text></text></text></text>		
 1 If it is not a like it is not it is not it. 1 If it is not a like it is not it. 1 If it is not a like it. 1 If it is not a lit. 1 If it is not a l		of this indication data, have been calculated from the deader calculation data. The EDS and DIS verificative intervals, which are the 1s and 2s likes for a second distribution, and also along a synchronized for the many the
<pre>Mathematical and an approximation of approximation o</pre>		NO. PERSONALIZZY and Age 49.3 % 0.1. 10.3 % 0.1.
1.5.5_Graham07_RC14 Performance		1 195 8 1942 981 80 1942 90 - 1953 80 1946 80 - 1953 80 2 185 8 1987 681 80 1988 82 - 1989 80 1988 82 - 1980 80
pdf		
	1.5.	
Lownload PDF		Read PDF
		Lownload PDF



Casselman survey - field journals

http://archives.brandonu.ca/en/permalink/descriptions10218

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	1.1.2
Accession Number:	1-2010
GMD:	textual records
Date Range:	2003
History /	
Biographical:	

Archaeological testing began in the Crepeele locale in May 2003. The Casselman survey in the Crepeele locale was directed by Bev Nicholson and James Graham supervised the crew. Crew members were Sarah Graham, Jollana Bishop, Lisa Sonnenburg, Todd Kristensen, Michael Evans, and Emily Ansell.


Scope and Content:

The director, field supervisor and some field crew kept daily journals of activities during the survey including: excavation methods, items recovered, features, local environment and weather are noted.

Name Access:	Casselman survey
Subject Access:	Archaeology field journals
	Archaeology
	Crepeele locale
	Casselman survey

Arrangement:

Field journals were scanned in their entirety as one multi-page PDF. However, each journal may contain information that relates to multiple sites or individuals. The entire PDF journal is linked to each file level description with the relevant page numbers indicated in the Scope and Content note.



Casselman survey - artifact catalogue

http://archives.brandonu.ca/en/permalink/descriptions11722

Part Of:	RG 7 Beverley Nicholson fonds	
Description Level:	Sub sub series	
Series Number:	1.1.4	
Accession Number:	1-2010	
GMD:	textual records	
Date Range:	2003	
Physical Description:	264 pages	
Material Details:	PDF	
History /		
Biographical:		
Artifact catalogue containing 597 records from the Casselman survey 2003.		
Scope and Content:		


Spreadsheet containing information about the artifacts recovered, including: unit, level, artifact number, catalogue number, depth, co-ordinates, entry date, date recovered, count, weight, UTM co-ordinates, notes (excavators initials and comments) and artifact identification.

Name Access: Casselman survey - artifact catalogue

Subject Access:

Archaeology Crepeele locale Casselman survey

Documents





North Lauder locale Radiocarbon Report I

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.5.1
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000

Physical Description: 2 pages

nion. z pages

Radiocarbon date reports have been scanned in multi-page PDF files.

History /

Material Details:

Biographical:

North Lauder Radiocarbon Date report by IsoTrace Laboratory for Atkinson II site #TO-11882.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access:	North Lauder locale Radiocarbon Report I
Subject Access:	Archaeology
	North Lauder locale
	North Lauder locale Radiocarbon Report I

Documents



North Lauder locale Radiocarbon Report 2

http://archives.brandonu.ca/en/permalink/descriptions12328



Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.5.2
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	2 pages
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History / Biographical:	

North Lauder Radiocarbon Date report by IsoTrace Laboratory for Atkinson site #TO-10640.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.


Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access:	North Lauder locale Radiocarbon Report 2
Subject Access:	Archaeology
	North Lauder locale
	North Lauder locale Radiocarbon Report 2

<text><text><text><text><text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text></text></text></text></text>		00 Di Genza Rose
<section-header><section-header><section-header><section-header><section-header><text><text><text></text></text></text></section-header></section-header></section-header></section-header></section-header>	IsoTrace Radiocarbon Laboratory Accelerate New Spectrosety Facility actae University of Torean	
<text><text><text></text></text></text>		aport
	May 27, 2003	
2.5.2_Atkinson_RC14_	This would is the average of 2 separate analysis (cormal precision insteps functionation to a lase of $F^+C=-15\%$, using the result on an arccellurated conventioned reducentum data in cross before	and is connected for network and quetoring and TV/TV rates. The control second control
2.5.2_Atkinson_RC14_	Tample Weight Identification Description used (m)	belliner Age () Laborather (point HP)
2.5.2_Atkinson_RC14_		
2.5.2_Atkinson_RC14_	it if you could send us a myrint.	r ner er e pannane. I voor apprene
2.5.2_Atkinson_RC14_		OBre
2.5.2_Atkinson_RC14_		
	252 Atkinso	n RC1/
TO-10640.pdf	2.0.2_Atki160	
10-10640.pdi	TO 1064	0 m df
	10-1064	u.pui
Read PDF	🗐 Read	PDF



North Lauder locale Radiocarbon Report 3

http://archives.brandonu.ca/en/permalink/descriptions12329

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.5.3
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	1 page
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History /	
Biographical:	

North Lauder Radiocarbon Date report by IsoTrace Laboratory for Atkinson site #TO-13365.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.


Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

North Lauder locale Radiocarbon Report 3
Archaeology
North Lauder locale
North Lauder locale Radiocarbon Report 3





North Lauder locale Radiocarbon Report 4

http://archives.brandonu.ca/en/permalink/descriptions12330

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.5.4
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	pages 5-7
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.
History /	

Biographical:

North Lauder Radiocarbon Date report by Beta Analytic Inc. for Flintstone Hill #109529 and #109530.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access: Subject Access: North Lauder locale Radiocarbon Report 4 Archaeology North Lauder locale North Lauder locale Radiocarbon Report 4

Documents

Balant Tory, 15,	
	In Sec. 19(21) 97: 39:35 AM +9999. [] Int. 1997 IN INTER AND 49999 Additional Access (Inter Analysis Days)
	ffrankel. G
	mil tetalunipticali.net
	C OF THE RECORD MALLED TO YOU TELAN. CALIFORNI. MIT HOT (MILLER).
Date Dr. Mich	
tena ani ma estativant m raitmetrir o dipert atopic respin in the sil analytics i sign stati postbalities	Use exclusion the satisfactor index (or even exclusion events) and the satisfactor in the same flagstate (i). The subfactor was large rough the property by the same events and and a subfactor density of the property attention of the satisfactor density of the property attention (in the satisfactor density of the satisfactor density of the satisfactor density of the satisfactor density of the satisfactor density of the satisfactor density of the satisfactor density of the satisfactor density of the sati
to a solutions.	the autimet data is such yoneper then expertant, is the HEHEMMENDERY AUCHARY, is may larger that does into an issues to include, the spectra means of entro, pion that likestad addings to portune then is blood of addination form.
calendar cold and Final Sup the report an please do not	as identically the quantilation of analysis and function and sections. The 'Ma(X)(3) Activity of the original section of the section of the section of the original section of the section of the section of the section is o constant in .
that loose much you fur	ten hat here met separately. A copy in excitant, peut price effects to second papers.
Cambra Road	
SALAH MARCA	
No. 8, 1 Deptember 27,	R. Eleberane. 2007
Bunders Indeed	netty torialise 25,
Convert Land.	DISTINCTION DISTINCTUNE DISTIN
C14 A(e 17)	
Anna Disign Ana Disign	ISO 4- II II - III II - III II III - III - IIII - III - IIII - III - IIII - IIIII - IIIII - IIIII - IIII - IIII - IIIII - IIII - IIII
Printed for	SERVICE THE STATE AND ADDR
Printed for	be Values and the second secon



North Lauder locale Radiocarbon Report 5

Part Of:	RG 7 Beverley Nicholson fonds
Description Level:	Sub sub series
Series Number:	2.5.5
Accession Number:	1-2010
GMD:	multiple media
Date Range:	1997-2000
Physical Description:	pages 3-5
Material Details:	Radiocarbon date reports have been scanned in multi-page PDF files.

History /

Biographical:

North Lauder Radiocarbon Date report by Beta Analytic Inc. for Flintstone Hill #111142 and #111143.

Radiocarbon dating

The technique of radiocarbon dating was developed by Willard Libby and his colleagues at the University of Chicago in 1949.

Radiocarbon dating is used to estimate the age of organic remains from archaeological sites. Organic matter has a radioactive form of carbon (C14) that begins to decay upon death. C14 decays at a steady, known rate of a half life of 5,730 years. The technique is useful for material up to 50,000 years. Fluctuations of C14 in the atmosphere can affect results so dates are calibrated against dendrochronology. Radiocarbon dates are calibrated to calendar years.

Dates are reported in radiocarbon years or Before Present. Before Present refers to dates before 1950. The introduction of massive amounts of C14, due to atomic bomb and surface testing of atomic weapons, has widely increased the standard deviation on all dates after A.D. 1700 causing these dates to be unreliable.

Accelerated mass spectrometry can more accurately measure C14 with smaller samples and can date materials to 80,000 years.

Scope and Content:

Sub sub series contains radiocarbon dates from: Atkinson site and Flintstone Hill.

Name Access:	North Lauder locale Radiocarbon Report 5
Subject Access:	Archaeology
	North Lauder locale
	North Lauder locale Radiocarbon Report 5

<text><text><text><text><text></text></text></text></text></text>	
<text><text><text><text><text><text><text></text></text></text></text></text></text></text>	
<text><text><text><text><text><text><text></text></text></text></text></text></text></text>	
<text><text><text><text><text></text></text></text></text></text>	
<text></text>	
and an and a set of the set of t	
All and a set of the s	
And the second s	
Comparison of the second	
Comparison of the second	
1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 2 1	
5.5_FSH_RC14 111142_11114	
1000 00 000 1000 0000 1000 0000 1000 1000 10000 1000 1000 1000 1000	
5.5_FSH_RC14 _111142_11114	
5.5_FSH_RC14 _111142_11114	
5.5_FSH_RC14 _111142_11114	
	_
Read PDF	-
La Download P	