

S. J. McKee Archives



Brandon Fire Department at Fire on Rosser Avenue

<http://archives.brandonu.ca/en/permalink/descriptions9599>

Part Of: RG 11 Lawrence Stuckey fonds

Creator: Davidson Studio

Description Level: Item

Series Number: 3.1

Item Number: 1-2002.3.1F14

Accession Number: 1-2002

GMD: graphic

Date Range: 1915

Physical Description: 3 1/2" x 5"

Material Details: Negative

Custodial History:

For custodial history see the collection level description of the Lawrence Stuckey collection.

Scope and Content:

Brandon Fire Department responding to a fire on the south side of 700 block Rosser Avenue

Notes: Date from license on fire engine (readable in original print).

Copy: LAS. From the collection of G. Crighton.

Name Access: Brandon Fire Department

Subject Access: fire protection

fire engines

Brandon Fires

Brandon Fire Department Stations & Equipment

Repro Restriction: The McKee Archives is the copyright holder for the Stuckey materials.

Storage Location: Lawrence Stuckey collection

Images





CPR Ice House Fire

<http://archives.brandonu.ca/en/permalink/descriptions9613>

Part Of: RG 11 Lawrence Stuckey fonds

Creator: George H. Harris

Description Level: Item

Series Number: 3.1

Item Number: 1-2002.3.1FA4

Accession Number: 1-2002

GMD: graphic

Date Range: May 19, 1951

Physical Description: 3 1/2" x 5"

Material Details: Negative

Custodial History:

For custodial history see the collection level description of the Lawrence Stuckey collection.

Scope and Content:

CPR Ice House Fire with engine 701

Notes: This large ice house, located between the CPR tracks and Assiniboine Avenue at 3rd Street, was filled with blocks of ice from the Assiniboine River each winter. It had a long high platform for [loading ice blocks into] refrigerator cars, and also handled charcoal braziers for heating these same cars in winter. The new ice house structure that was built after this fire was much smaller, as it had an artificial ice plant.

With mechanically temperature-controlled cars replacing ice-cooled refrigerators, it was demolished in the 1970's.

This photograph shows how steam switch engines were used as fire engines. A hose carried in a box under the tender was fitted into a branch of the boiler feed pipe (discharge pipe). When the injector was turned on it gave a nozzle pressure of over 200 psi.

Name Access: CPR Ice House Fire

Subject Access: fires

railways

Canadian Pacific Railway

Brandon Fires

Repro Restriction: The McKee Archives is the copyright holder for the Stuckey materials.

Storage Location: Lawrence Stuckey collection

Images



